

## LITERATURE CITED

- Adams, W.J., K.V. Brix, K.A. Cothorn, L.M. Tear, R.D. Cardwell, A. Fairbrother, and J. Toll. 1998. Assessment of selenium food chain transfer and critical exposure factors for avian wildlife species: need for site-specific data. Pp. 312-342 in: E.E. Little, B.M. Greenberg, and B.M. Greenberg A.J. DeLonay (eds.), Environmental Toxicology and Risk Assessment: Seventh Volume, ASTM STP 1333. American Society for Testing and Materials, West Conshohocken, PA.
- Adema, D.M.M. and I.G.J. Vink. 1981. A comparative study of the toxicity of 1,1,2-trichloroethane, diechlorodiphenylmethane, pentachlorophenol and 3,4 dichloroaniline for marine and freshwater organisms. Chemosphere, 10(6):533-554.
- Agency for Toxic Substances and Disease Registry (ATSDR). 1993. Toxicological profile for pentachlorophenol (Update), TP-93/13.
- Agricultural Science and Technology. June 1994. Risks and benefits of selenium in agriculture. Issue Paper Supplement # 3, 22pp.
- Ahl, J.S.B. 1991. Factors affecting contributions of the tadpole shrimp, *Lepidurus packardi*, to its oversummering egg reserves. Hydrobiologia 212:137-1 Mr. Champ 43.
- Albers, P.H., D.E. Green, and C.J. Sanderson. 1996. Diagnostic criteria for selenium toxicosis in aquatic birds: dietary exposure, tissue concentrations, and macroscopic effects. J. Wildl. Dis., 32:468-485.
- Albertson, J.D. 1995. Ecology of the California clapper rail in South San Francisco Bay. M.A. Thesis, San Francisco State University.
- Aldrich, J. 1951. A review of the races of the Traill's flycatcher. Wilson Bulletin. 63:192-197.
- Allan, R.C., and D.L. Roden. 1978. Fish of Lake Mead and Lake Mohave. Biological Bulletin Number 7. Nevada Department of Wildlife, Reno. 105 pp.
- American Ornithologists' Union. 1983. Checklist of North American Birds, Sixth Edition. American Ornithologists' Union Checklist of North American Birds. *Auk* 106(3):532-538.
- Allen, G.T., and S.H. Blackford. 1997. Arsenic, mercury, selenium, and organochlorine compounds in interior least tern eggs in the Northern Great Plains States, 1992-94. Contaminant Report R6/515M/97. U.S. Fish and Wildlife Service, Kansas Field Office, Manhattan, KS. 48 p.
- Allen, M.A. and T.J. Hassler. 1986. Species Profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest), chinook salmon. U.S. Fish and Wildlife Service Biological Report 82(1149). April 1986.
- Anderson, D.W., J.R. Jehl, Jr., R.W. Risbrough, L.A. Woods, Jr., L.R. Deweese, and W.G. Edgcomb. 1975. Brown pelicans: Improved reproduction off the southern California coast. Science 190:806-808.
- Anderson, J.D. 1960. A comparative study of coastal and montane populations of *Ambystoma macrodactylum*. Unpublished Ph.D. Dissertation, University of California, Berkeley. ii+261 pp.
- Anderson, J.D. 1967. A comparison of the life histories of coastal and montane populations of *Ambystoma macrodactylum* in California. The American Midland Naturalist, 77(2):323-355.
- Anderson, J.D. 1968. A comparison of the food habits of *Ambystoma macrodactylum sigillatum*, *Ambystoma macrodactylum croceum*, and *Ambystoma tigrinum californiense*. Herpetologica, 24(4):273-284.

Anderson, J.D. 1972. Embryonic temperature tolerance and rate of development in some salamanders of the genus *Ambystoma*. *Herpetologica*, 28(2):126-130.

Anderson, P.R. 1968. The reproductive and developmental history of the California tiger salamander. Masters thesis, Department of Biology, Fresno State College, Fresno, California. 82 pp.

Anderson, R.V. 1977. Concentration of cadmium, copper, lead, and zinc in thirty-five genera of freshwater macroinvertebrates from the Fox River, Illinois and Wisconsin. *Bulletin of Environmental Contamination and Toxicology* 18(3):345-349.

Andreasen, J.K. 1975. Systematics and Status of the Family Catostomidae in Southern Oregon. Ph.D. Thesis. Oregon State University, Corvallis. 76 pp.

Ankley, G.T. and M.K. Schubauer-Berigan 1994. Comparison of techniques for the isolation of sediment pore water for toxicity testing. *Archives of Environmental Contamination and Toxicology* 27:507-512.

Ankley, G.T. and M.K. Schubauer-Berigan 1995. Background and overview of current sediment toxicity identification evaluation procedures. *Journal of Aquatic Ecosystem Health* 4:133-149.

Ankley, G.T., J.E. Tietge, D.L. DeFoe, K.M. Jensen, G.W. Holcombe, E.J. Durhan, and S.A. Diamond. 1998. Effects of ultraviolet light and methoprene on survival and development of *Rana pipiens*. *Environmental Toxicology and Chemistry* 17(12):2530-2542.

Anthony, J.L. 1985. A report on the distribution, numbers and human disturbance of snowy plovers at Damon Point, Washington. Report to the Washington Department of Game. Evergreen State College, Washington. 24 pp.

APHA (American Public Health Association), American Water Works Association, and Water Pollution Control Federation. 1985. Standard methods for the examination of water and wastewater, 16th edition. APHA, Washington, D.C.

Applequist, H., Asbirk S., Draback, I. 1984. Mercury monitoring: Mercury stability in bird feathers. *Marine Pollution Bulletin* 15(1):22-24.

Arthur, J.F. and M.D. Ball. 1978. Entrapment of suspended materials in the San Francisco Bay-Delta Estuary. U.S. Dept. Interior, Bureau of Reclamation, Sacramento, California.

Arthur, J.F. and M.D. Ball. 1979. Factors influencing the entrapment of suspended material in the San Francisco Bay-Delta Estuary. Pages 143-174 in T.J. Conomos, editor. Pacific Division, Amer. Assoc. Advance. Sci., San Francisco, California.

Arthur, J.F. and M.D. Ball. 1980. The significance of the entrapment zone location to the phytoplankton standing crop in the San Francisco Bay-Delta Estuary. U.S. Dept. Interior, Water and Power Resources Service.

Atwater, B., S. Conrad, J. Dowden, C. Hedel, R. MacDonald, and W. Savage. 1979. History, landforms, and vegetation of the estuary's tidal marshes. In T.J. Conomos (ed.): San Francisco Bay, the urbanized estuary. Pacific Div., Am. Assoc. for the Adv. of Sci. 58th annual mtg., S.F. State Univ., June 12-16, 1977.

Atwood, J., J. Fancher, and L. Feeney. 1994. California Least Tern. Pp. 184-187 in: C.G. Thelander (Editor-In-Chief), *Life on the Edge: A Guide to California's Endangered Natural Resources*. Biosystems Books, Santa Cruz, CA, and Heyday Books, Berkeley, CA.

- Audet D.J., D.S. Scott, and S.N. Wiemeyer, 1992. Organochlorines and mercury in osprey eggs from the eastern United States. *J Raptor Res* 26(4):219-224.
- Bane, G.W., and A. W. Bane. 1971. Bay fishes of northern California. Mariscos Publications, Hampton Bays, N.Y. 143 pp.
- Barclay, W.R. and A.W. Knight. 1984. Physio-chemical processes affecting production in a turbid vernal pool. Pages 126-142. IN S. Jain and P. Moyle, eds. Vernal pools and intermittent streams. Inst. Ecol. Pub. 28. Univ. Calif. Davis, California.
- Barlow, J. 1962. Natural History of the Bell Vireo, *Vireo bellii* Audubon. Univ. of Kansas Publ. Mus. of Nat. Hist. 12 (5):241-296.
- Barlow, J. And W. MacGillivray. 1983. Foraging and habitat relations hips of the sibling species Willow Flycatcher (*Empidonax traillii*) and Alder Flycatcher (*Empidonax alnorum*) in southern Ontario. Canadian Journal of Zoology. 61:1510-1516.
- Barnhart, R.A. 1986. Species Profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest), steelhead. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.60), 21 p.
- Baron, T., and P. Jorgensen. 1994. Light-footed Clapper Rail. Pp. 158-159 in: C.G. Thelander (Editor-In-Chief), Life on the Edge: A Guide to California's Endangered Natural Resources. Biosystems Books, Santa Cruz, CA, and Heyday Books, Berkeley, CA.
- Barr, J.F. 1986. Population dynamics of the common loon (*Gavia immer*) associated with mercury-contaminated waters in northwestern Ontario. Canadian Wildlife Service Occasional Papers, Number 56.
- Becker P.H., D. Hennig, R.W. Furness, 1994. Differences in mercury contamination and elimination during feather development in gull and tern broods. *Arch. Environ. Contam. toxicol.* 27:162-167.
- Behnke, R.J. 1979. Monograph of the native trouts of the genus *Salmo* of western North America. USDA, Forest Service, Lakewood, Colorado. 215 pp.
- Behnke, R.J. 1992. Native trout of western North America. American Fisheries Society Monograph 6. AFS, Western Division, Bethesda, Maryland. 275 pp.
- Behnke, R.J. and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. General Technical Report RM-28. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 45 pp.
- Beissinger, S.R. 1995. Population trends of the marbled murrelet projected from demographic analysis. In: Ralph, C.J.; G.L. Hunt, Jr.; M. G. Raphael; J.F. Piatt (Tech. eds.). Ecology and conservation of the marbled murrelet. Gen. Tech. Rep. PSW-GRT-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 420 pp.
- Belk, D. 1977. Zoogeography of the Arizona fairy shrimps (Crustacea: Anostraca). *J. Ariz. Acad. Sci.* 12:70-78.
- Bell, H. 1994. Analysis of Habitat Characteristics of San Joaquin kit fox in the Northern Range. M.S. Thesis. University of California, Hayward. 90 pp.
- Bell, M.A. 1978. Fishes of the Santa Clara system, southern California. Contributions in Science, Natural History Museum of Los Angeles County, No. 295, 20 pp.

Bennett, J. 1994. Algal biotoxins involved in Salton Sea bird and fish kills? *Blips 'N Blurbs (FWS Division of Environmental Contaminants Newsletter)*, October 1994:4.

Bennett, J. 1997. Biological effects of selenium and other contaminants associated with irrigation drainage in the Salton Sea area, California, 1992-94. Report to the National Irrigation Water Quality Program, United States Department of Interior, Washington, D.C. (In Press)

Bennett, W.W. and R.D. Ohmart. 1978. Habitat Requirements and Population Characteristics of the Clapper Rail (*Rallus longirostris yukonensis*) in the Imperial Valley of California. A report submitted to the Univ. of California Lawrence Livermore Laboratory.

Bent, A.C. 1960. Bent's Life Histories of North American Birds. Vol. II, Land Birds. Harper & Brothers, New York. 555 pp.

Bergman, H.L. and E.J. Dorward-King. 1997. Reassessment of Metals Criteria for Aquatic Life Protection. SETAC Technical Publication Series. Society of Environmental Toxicology and Chemistry, Pensacola, Florida.

Besser, J.M., T.J. Canfield, and T.W. LaPoint. 1993. Bioaccumulation of organic and inorganic selenium in a laboratory food chain. *Environ. Toxicol. Chem.*, 12:57-72.

Besser, J.M., J.N. Huckins, E.E. Little, and T.W. LaPoint. 1989. Distribution and bioaccumulation of selenium in aquatic microcosms. *Environ. Poll.*, 62:1-12.

Bestgen, K.R. 1990. Status review of the razorback sucker, *Xyrauchen texanus*. Report to U.S. Fish and Wildlife Service, Salt Lake City, Utah. Contribution 44, Larval Fish Laboratory, Colorado State University, Fort Collins.

Binford, L.C., B.G. Elliott, and S.W. Singer. 1975. Discovery of a nest and the downy young of the Marbled Murrelet. *Wilson Bulletin* 87:303-319.

Birge, W.J., J.A. Black, A.G. Westerman, and J.E. Hudson, 1979. The effects of mercury on reproduction of fish and amphibians. In J.O. Nriagu, ed., *Biogeochemistry of Mercury in the Environment*. Elsevier/North-Holland Biomedical Press, New York, NY, PP. 629-655.

Birge, W.J., O.W. Roberts, and J.A. Black 1976. Toxicity of Metal Mixtures to Chick Embryos. *Bull. Env. Cont. & Tox.* 16:3, 314-318.

Birkner, J.H. 1978. Selenium in aquatic organisms from seleniferous habitats. Ph.D. Dissertation. Colorado State University, Fort Collins, CO. 121 p.

Bishop, S.C. 1943. Handbook of salamanders. Comstock Publishing Co., Inc. Ithaca, New York. pp. 119-123.

Blake, E.R. 1953. Birds of Mexico. University of Chicago Press, Chicago, IL. 644 pp.

Bloom, N. 1989. Determination of picogram levels of methylmercury by aqueous phase ethylation, followed by cryogenic gas chromatography with cold vapour atomic fluorescence detection. *Can. J. Fish. Aquat. Sci.* 46:1131-1140.

Bloom, N.S., and W.F. Fitzgerald. 1988. Determination of volatile mercury species at picogram levels by low-temperature gas chromatography with atomic fluorescence detection. *Anal. Chim. Acta*. 208:151-161.

Blumberg, B., D.M. Gardiner, D. Hoppe, and R.M. Evans. 1998. Field and laboratory evidence for the role of retinoids in producing frog malformities. Abstract, Midwest Declining Amphibians Conference, March 20-21. Joint meeting of Great Lakes and Central Division working groups of the Declining Amphibian Populations Task Force.

Boccone, V.M. and T.J. Mills. 1979. Spawning behavior and spawning substrate preference of the Modoc sucker, *Catostomus microps* (Rutter). Inland Fisheries Endangered Species Program Special Publication 79-2. June, 1979. California Department of Fish and Game, Rancho Cordova, CA. 33 pp.

Boles, G. 1988. Water temperature effects on chinook salmon (*Oncorhynchus tshawytscha*) with emphasis on the Sacramento River: a literature review. Report of the California Department of Water Resources. Northern District. 43 pp.

Bonnell, M.L., M.O. Piersen, and G.D. Farrens. 1983. Pinnipeds and Sea Otters of Central and Northern California, 1980-1983: Status, Abundance, and Distribution -Part I of Investigators' Final Report, Marine Mammal and Seabird Study. Prepared for Pacific OCS Region. Minerals Management Service. Center for Marine Studies. University of California, Santa Cruz.

Bouchard, R.W. 1977. Distribution, systematic status, and ecological notes on five poorly known species of crayfish in western North America (Decapoda: Astacidae and Cambaridae). Freshwater Crayfish 3:409-423.

Bouchard, R.W. 1978. Taxonomy, distribution, and general ecology of the genera of North America crayfishes. Fisheries 3:11-19.

Bouton SN, Frederick PC, Spalding MG, McGill H, 1999. Effects of chronic, low concentrations of dietary methylmercury on the behavior of juvenile great egrets. Env. Tox. and Chem. 18(9)1934-1939.

Bowerman W.W.IV, E.D. Evans, J.P. Giesy, S. Postupalsky, 1994. Using feathers to assess risk of mercury and selenium to bald eagle reproduction in the Great Lakes region. Arch. Environ. Contam. Toxicol. 27:294-298.

Boyce, K. 1994. Beneficials: mosquitofish. Sacramento County/Yolo County Mosquito and Vector Control District. 2 pp.

Bradford, D.F. 1989. Allotropic distribution of native frogs and introduced fishes in high Sierra Nevada lakes of California: Implication of the negative effect of fish introductions. Copeia 1989:775-778.

Bradford, D.F. 1991. Mass mortality and extinction in a high-elevation population of *Rana muscosa*. Journal of Herpetology 25:174-177.

Bradford, D.F., F. Tabatabai, and D.M. Graber. 1993. Isolation of remaining populations of the native frog, *Rana muscosa*, by introduced fishes in Sequoia and Kings Canyon National Parks, California. Conservation Biology 7:882-888.

Branchiopod Research Group. 1996. Vernal pool faunal survey Naval Air Station Miramar. Department of Biology, University of San Diego, San Diego, California.

Braune, B.M. 1987. Comparison of total mercury levels in relation to diet and molt for nine species of marine birds. Archives of Environmental Contamination and Toxicology 16:217-224.

Braune, B.M. and Gaskin D.E. 1987. Mercury levels in Bonaparte's gulls (*Larus philadelphia*) during autumn molt in the Quoddy Region, New Brunswick, Canada. Archives of Env. Cont. And Tox. 16:539-549.

Brett, J.R. 1952. Temperature tolerance of young Pacific salmon, genus *Oncorhynchus*. *J. Fish. Res. Bd. Can.* 9:265-323.

Briggs, J.C. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. *Calif. Dept. Fish Game, Fish. Bull.* 94:1-62.

Brittell, J.D., J.M. Brown, and R.L. Eaton. 1976. Marine shoreline fauna of Washington, Vol. II. Washington Department of Game and Ecology, Olympia, Washington. 10 pp.

Brode, J. 1988. Natural history of the giant garter snake (*Thamnophis couchii gigas*). In Proceedings of the conference on California herpetology, H.F. DeL iste, P.R. Brown, B. Kaufman, and B.M. McGurty (editors., p. 25-28. Southwestern Herpetologists Society, Special Publ. No. 4.

Brode, J. and G. Hansen. 1992. Status and future management of the giant garter snake (*Thamnophis gigas*) within the southern American Basin, Sacramento and Sutter counties, California. California Department of Fish and Game, Inland Fisheries Division, January 1992.

Brown, J.A., P.H. Johansen, P.W. Colgan, R.A. Mathers. 1985. Changes in the predator-avoidance behaviour of juvenile guppies (*Poecilia reticulata*) exposed to pentachlorophenol. *Can. J. Zool.*, 63:2001 - 2005.

Brown, J.A., P.H. Johansen, P.W. Colgan, R.A. Mathers. 1987. Impairment of Early Feeding Behaviour of Largemouth Bass by Pentachlorophenol Exposure: A Preliminary Assessment. *Trans. American Fisheries Society*, 116:71-78.

Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. *N. Am. J. Fish. Manage.* 14:237-261.

Browne, C.L., and J.N. Dumont. 1979. Toxicity of selenium to developing *Xenopus laevis* embryos. *J. Toxicol. Environ. Health.* 5:699-709.

Buettner, M. and G. Scoppettone. 1990. Life History and Status of Catostomids in Upper Klamath Lake, Oregon. Completion Report, U.S. Fish and Wildlife Service, National Fisheries Research Center, Reno, Nevada. 108 pp.

Bureau, R.G. 1985. Environmental chemistry of selenium. *Calif. Agric.*, 39:16-18.

Burbacher, T.M., G.P. Sackett, and N.K. Mottet. 1990. Methylmercury effects on the social behavior of *Macaca fascicularis* infants. *Neurotoxicol. Teratol.* 12:65-71.

Burgner, R.L., J.T. Light, L. Margolis, T. Okazaki, A. Tautz, and S. Ito. 1992. Distribution and origins of steelhead trout (*Oncorhynchus mykiss*) in offshore waters of the North Pacific Ocean. *Int. North Pac. Fish. Comm. Bull.* 51, 92 pp.

Burkett, E.E. 1995. Marbled murrelet food habits and prey ecology. Pages 223-246 in Ralph, C.J.; George L. Hunt, Jr.; Martin G. Raphael; John F. Piatt (Tech. Eds.). 1995. Ecology and conservation of the marbled murrelet. Gen. Tech. Rep. PSW-GRT-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 420 pp.

Burow, K.R., J.L. Shelton, and N.M. Dubrovsky. 1998a. Occurrence of nitrate and pesticides in ground water beneath three agricultural settings in the eastern San Joaquin Valley, California, 1993-1995. U.S. Geological Survey, Water-Resources Investigations Report 97-4284. 51 pp.

**Burrow, K.R., S.V. Stork, and N.M. Dubrovsky.** 1998b. Nitrate and pesticides in ground water in the eastern San Joaquin Valley, California: occurrence and trends. U. S. Geological Survey, Water-Resources Investigations Report 98-4040. 33 pp.

**Bury, N.R., McGeer, J.C. and C.M. Wood.** 1999a. Effects of altering freshwater chemistry on physiological responses of rainbow trout to silver exposure. *Environmental Toxicology and Chemistry* 18(1):49-55.

**Bury, N.R., Galvez, F. and C.M. Wood.** 1999b. Effects of chloride, calcium, and dissolved organic carbon on silver toxicity: Comparison between rainbow trout and fathead minnows. *Environmental Toxicology and Chemistry* 18(1):56-62.

**Bury, R.B. and R.A. Luckenbach.** 1976. Introduced amphibians and reptiles in California. *Biological Conservation* (10):1-14.

**Busby, M.S. and R.A. Barnhart.** 1995. Potential food sources and feeding ecology of juvenile fall chinook salmon in California's Mattole River lagoon. *California Fish and Game* 81(4):133-146.

**Busby, P.J., T.C. Wainwright and R.S. Waples.** 1994. Status review for Klamath Mountain Province steelhead. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-19. 130 p.

**Busby, P.J., T.C. Wainwright, G.J. Bryant, L. Lierheimer, R.S. Waples, F.W. Waknitz and I.V. Lagomarsino.** 1996. Status review of west coast steelhead from Washington, Idaho, Oregon and California. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-27. 261 p.

**Caffrey, C.** 1995. Characteristics of California least tern nesting sites associated with breeding success or failure, with special reference to the site at the Naval Air Station, Alameda. Final Report submitted to Naval Facilities Engineering Command, Western Division, Department of the Navy.

**Cain, D.J., S.N. Luoma and E.V. Axtmann.** 1995. Influence of gut content in immature aquatic insects on assessments of environmental metal contamination. *Canadian Journal of Aquatic Sciences* 52:2736-2746.

**Cain, D.J., S.N. Luoma, J.L. Carter and S.V. Fend.** 1992. Aquatic insects as bioindicators of trace element contamination in cobble-bottom rivers and streams. *Can. J. Fish. Aquat. Sci.* 49:2141-2154.

**CalEPA.** September 25, 1997a. Comments on the proposed California Toxics Rule. Letter to USEPA Region 9. 10 pp.

**CalEPA.** September 26, 1997b. Proposed California Toxics Rule. Letter to USEPA Region 9. 2 pp.

**Calhoun, A.J.** 1942. The biology of the black-spotted trout (*Salmo clarki henshawi*) (Gill and Jordan) in two Sierra Nevada lakes. Ph.D. dissertation. Stanford University, Palo Alto, California. 218 pp.

**California Advisory Committee on Salmon and Steelhead Trout.** 1988. Restoring the balance. California Department of Fish and Game, Annual Report. 124-J, 84 p.

**California Code of Regulations.** 1999. Title 14. Natural Resources. Division 1. Fish and Game Commission - Department of Fish and Game.

**California Department of Pesticide Regulation.** 1998. Sampling for pesticide residues in California well water: 1997 update of well inventory database. Environmental Monitoring and Pest Management Branch, Sacramento, California.

**California Regional Water Board.** 1995. The beneficial uses designations and water quality criteria to be used for the regulation of agricultural subsurface drainage discharges in the San Joaquin Basin (5C). Staff

Report, June 1995, California Regional Water Quality Control Board, Central Valley Region. Sacramento, CA. 38 p.

California Regional Water Board. 1996. Amendments to the water quality control plan for the Sacramento River and San Joaquin River Basins for the control of agricultural subsurface drainage discharges. Staff Report, March 1996, California Regional Water Quality Control Board, Central Valley Region. Sacramento, CA. 192 p.

Campbell, E.A., and P.B. Moyle. 1990. Historical and recent population sizes of spring-run chinook salmon in California. Pages 155-216 in T.J. Hassler (ed.), Northeast Pacific chinook and coho salmon workshops and proceeding. Humboldt State University, Arcata, CA.

Campbell, L.A., T.B. Graham, L.P. Thibault, and P.A. Stine. 1996. The arroyo toad (*Bufo microscaphus californicus*), ecology, threats, recovery actions, and research needs. Technical Report. NBS/CSC-96-01. 46 pp.

Canton, S.P. 1996. Review of acute aquatic life criteria for selenium. Abstract No. PO 701, p.250, in: SETAC 17th Annual Meeting Abstract Book. SETAC Press, Pensacola, FL. 344 p.

Canton, S.P. 1997. Difficulties with traditional approaches in setting aquatic life water quality criteria for selenium. Abstract in: Understanding Selenium in the Aquatic Environment, Proceedings of a Symposium in Salt Lake City, Utah, March 6-7, 1997. Kennecott Utah Copper, Magna, UT.

Carroll, John J., Ellis, Stephan J. and Walter S. Oliver. 1979 Influences of hardness constituents on the acute toxicity of cadmium to brook trout (*Salvelinus fontinalis*). Bulletin of Environmental Contamination and Toxicology 22:575-581.

Carter, H.R., and R.A. Erickson. 1992. Status and conservation of the marbled murrelet in California, 1892-1987. In: Carter, H.R. and M.L. Morrison (eds). Status and conservation of the Marbled Murrelet in North America. Proceedings of the Western Foundation of Vertebrate Zoology 5:92-108.

Carter, H.R. and M.L. Morrison (eds). 1992. Status and conservation of the Marbled Murrelet in North America. Proceedings of the Western Foundation of Vertebrate Zoology 5.

Carter, H.R., and S.G. Sealy. 1986. Year-round use of coastal lakes by marbled murrelets. Condor 88:473-477.

Carter, H.R., and S.G. Sealy. 1990. Daily foraging behavior of marbled murrelets. Pages 93-102 in S.G. Sealy (ed.). Auks at sea. Studies in Avian Biology 14.

Carter, H.R., D.L. Jacques, G.J. McChesney, C.S. Strong, M.W. Parker, and J.E. Takekawa. 1990. Breeding populations of seabirds on the northern and central California coasts in 1989 and 1990. Unpublished report, USDI Fish and Wildlife Service, Northern Prairie Wildlife Research Center, Dixon, California.

CAST. 1994. Risk and benefits of selenium in agriculture. Issue Paper No. 3. Council for Agricultural Science and Technology, Ames, IA.

Castren, M. and A. Oikari. 1987. Changes of the Liver UDP-Glucuronosyltransferase Activity in Trout (*Salmo gairdneri* Rich.) Acutely Exposed to Selected Aquatic Toxicants. Comp. Biochem. Physiol. 86C(2):357-360.

Caywood, M.L. 1974. Contributions to the Life History of the Splittail *Pogonichthys macrolepidotus* (Ayres). M.S. Thesis, California State U., Sacramento. 77 pp.

CDFG (California Department of Fish and Game). 1965. California Fish and Wildlife Plan, Volume I: Summary. 110 p.; Volume II: Fish and Wildlife Plans, 216 p.; Volume III: Supporting Data, 1802 p.

CDFG. 1990. 1989 Annual Report on the Status of California's Listed Threatened and Endangered Plants and Animals. Sacramento, California.

CDFG. 1992. Draft five year status report. CDFG, Inland Fish. Div.

CDFG. 1993. Progress report (1). Lost River and shortnose sucker life history and population dynamics in Clear and Tule Lakes, California. Contract Number FG 1610.

CDFG. 1994. Petition to the California Board of Forestry to list coho salmon (*Oncorhynchus kisutch*) as a sensitive species. Calif. Dep. Fish Game Rep., 35 p. plus appendices.

CDFG. 1995. Letter to M. Schiewe for the ESA Administrative Record for west coast steelhead, dated 30 March 1995, 10 p. plus attachments.

CDFG. 1997. Comments to EPA on the Proposed California Toxics Rule. Letter to Diane E. Frankel from Donald L. Lollock.

Cech, J.J., Jr., B.W. Wilson, and D.G. Crosby. 1998. Multiple Stresses in Ecosystems. Lewis Publishers, Boca Raton, FL. 202 p.

CH2M HILL, H.T. Harvey and Associates, and G.L. Horner. 1993. Cumulative impacts of agriculture evaporation basins on wildlife. Final Report to the California Department of Water Resources. CH2M HILL, Sacramento, CA.

Chadwick and Associates. 1996. Current status of the Santa Ana sucker in the Santa Ana River, California. Report prepared for the Santa Ana River Dischargers Association, California.

Chadwick, H.K. and D.B. Odenweller. 1988. Los Banos Grandes Project Fish and Wildlife Resources Final Report. Interagency Agreement-California Department of Fish and Game and the California Department of Water Resources. 242 pp.

Chang, L.W., and Z. Annau. 1984. Developmental neuropathology and behavioral teratology of methyl mercury. In Yanai J, ed. Neurobehavioral Teratology. Elsevier, Amsterdam, The Netherlands, pp 405-432.

Chapman, G.A. 1969. Toxicity of Pentachlorophenol to Trout Alevins. Thesis in support of a Doctor of Philosophy, Oregon State University.

Chapman, G.A. and D.L. Shumway. 1978. Effects of Sodium Pentachlorophenate on Survival and Energy Metabolism of Embryonic and Larval Steelhead Trout. In: K. R. Rao (Ed.) Pentachlorophenol: Chemistry, Pharmacology, and Environmental Toxicology, Plenum Press, New York, NY.

Chapman, G.A. April 22, 1998. A Review of the Document: Draft Biological /Conference Opinion on the Environmental Protection Agency's Water Quality Standards: Establishment of Numeric Criteria for Priority Toxic Pollutants for the State of California (dated April 10, 1998), With special reference to those Sections on Pentachlorophenol (PCP).

Chapman, P.M. 1998. Are we really measuring "dissolved metals"? SETAC News, November 1998, pp. 25-26.

Choudhury, H. J., Coleman, C.T. De Rosa, and J.F. Stara. 1986. Pentachlorophenol: Health and Environmental Effects Profile. Toxicology and Industrial Health, 2(4):483-587.

Clark, G.H. 1929. Sacramento-San Joaquin salmon (*Oncorhynchus tshawytscha*) fishery of California. *Calif. Fish Game Bull.* 17:73.

Clark, D.R., Jr. 1987. Selenium accumulation in mammals exposed to contaminated California irrigation drainwater. *Science and the Total Environment*, 66:147-168.

Clements, William H. and Peter M. Kiffney. 1994. Integrated laboratory and field approach for assessing impacts of heavy metals at the Arkansas River, Colorado. *Environmental Toxicology and Chemistry* 13(3):397-404.

Cleveland, L., D.R. Buckler, F.L. Mayer, and D.R. Branson. 1982. Toxicity of Three Preparations of Pentachlorophenol to Fathead Minnows - A Comparative Study. *Environ. Toxicic. and Chem.*, 1:205-212.

CNDB (California Natural Diversity Data Base). 1996. Natural Heritage Division. California Department of Fish and Game. State of California.

Coe, T. 1988. The application of section 404 of the Clean Water Act to vernal pools. Pages 356-358 in J. A. Kusler, S. Daly, and G. Brooks, eds. *Urban wetlands. Proceedings of the National Wetland Symposium*, Oakland, California, June 26-29, 1988.

Coffin, P.D. 1981. Distribution and life history of the Lahontan/Humboldt cutthroat trout, Humboldt River drainage basin. Nevada Department of Wildlife, Reno, Nevada. 69 pp.

Coffin, P.D. 1983. Lahontan cutthroat trout fishery management plan for the Humboldt River basin. *Federal Aid to Fish Restoration Project Report F-20-17, Study IX, Job No. 1-P-1*. Nevada Division of Wildlife, Reno. 33 pp.

Collins, L.D. 1995. California least tern nesting season at the Alameda Naval Air Station 1995. Prepared for Engineering Field Activity West, U.S. Department of Navy, San Bruno, California.

Collins, J.N., J.G. Evans, and B. Grewell. 1994. A synoptic survey of the distribution and abundance of the California clapper rail *Rallus longirostris obsoletus* in the northern reaches of the San Francisco estuary during the 1992 and 1993 breeding seasons. *Draft Technical Report to California Department of Fish and Game*. 22 pp.

Conway, C.J., W.R. Eddleman, S.H. Anderson and L.R. Hanebury. 1993. Seasonal changes in Yuma clapper rail vocalization rate and habitat use. *J. Wild. Manage.* 57(2):282-290.

Conte, F.S., S.I. Doroshov, P.B. Lutes, and E.M. Strange. 1988. Hatchery manual for the white sturgeon *Acipenser transmontanus* (Richardson) with application of other North American Acipenseridae. Cooperative Extension Pub 3322. University of California, Oakland, CA. 104 p.

Cooper, B.A., D.M. Evans, P. Henson, and M.G. Raphael. 1997. Use of radar as an inventory and monitoring tool for marbled murrelets in Washington and Oregon. Unpubl. abstract of paper presented at 24<sup>th</sup> annual meeting of the Pacific Seabird Group, Portland, OR.

Coots, M. 1965. Occurrences of the Lost River sucker, *Deltistes luxatus* (Cope), and shortnose sucker, *Chasmistes brevirostris* (Cope), in northern California. *Calif. Fish and Game* 51:68-73.

Cope, E.D. 1879. The Fishes of Klamath Lake, Oregon. *American Naturalist* 13:784-785.

Cope, E.D. 1884. On the Fishes of the Recent and Pliocene Lakes of the Western Part of the Great Basin, and of the Idaho Pliocene Lake. *Proceedings of the Academy of Natural Sciences Philadelphia* 35(1883):134-167.

**Costa, D.P., and G.L. Kooyman.** 1980. Effects of Oil Contamination in the Sea Otter *Enhydra lutris*. Final Report, Res. Unit No. 71, OCS Environmental Assessment Program, NOAA Contract No. 03-7-022-35130. 18 pp.

**Costa, D.P., and G.L. Kooyman.** 1982. Oxygen consumption, thermo-regulation, and the effect of fur oiling and washing on the sea otter, *Enhydra lutris*. *Can. J. Zoology* 60:2761-2767.

**Covich, A.P., T.A. Crowl, S.L. Johnson, D. Varza, and D.L. Certain.** 1991. Post hurricane Hugo increases in atyis shrimp abundances in a Puerto Rican montane stream. *Biotropica* 23(4a): 448-454.

**Cramer, S.P.** 1994. Status of Oregon's coastal coho and measures for population rebuilding. Final Report, May 1994. Submitted to the National Marine Fisheries Service by S.P. Cramer and Associates, Gresham, Oregon, 142 p.

**Cramer, S.P., T.D. Satterthwaite, R.B. Voyce and B.P. McPherson.** 1985. Lost Creek Dam fisheries evaluation phase I completion report. Volume I: Impacts of Lost Creek Dam on the biology of anadromous salmonids in the Rogue River. Submitted to the U.S. Army Corps of Engineers, Contract DACW57-77-C-0027, 271 p.

**Crosby, D.G.** 1981. Environmental Chemistry of Pentachlorophenol. *Pure and Appl. Chem.*, 53:1051-1080.

**Crossland, N.O. and C.J.M. Wolff.** 1985. Fate and Biological Effect of Pentachlorophenol in Outdoor Ponds. *Environ. Toxicol. and Chem.*, 4:73-86.

**CRWQCB (California Regional Water Quality Control Board).** 1995. Waste discharge requirements for city of Davis wastewater treatment plant, Yolo County. Order No. NPDES NO.CA0079049. California Regional Water Quality Control Board - Central Valley Region. Sacramento, CA. 25 p

**CSLC (California State Lands Commission).** 1993. California's Rivers, a public trust report, 304 pp.

**Cuvin-Aralar, M.L.A., and R.W. Furness.** 1991. Mercury and selenium interaction: a review. *Ecotoxicol. Environ. Safety*, 21:348-364.

**Dahl, T.E.** 1990. Wetlands losses in the United States, 1780s to 1980s. USDI Fish and Wildlife Service, Washington, D.C. 13 pp.

**Dallinger, R.** 1994. Invertebrate organisms as biological indicators of heavy metal pollution. *Applied Biochemistry and Biotechnology* 48:27-31.

**Dallinger, R. and H. Kautzky.** 1985. The importance of contaminated food for the uptake of heavy metals by rainbow trout (*Salmo gairdneri*): a field study. *Oecologia* 67:82-89.

**Dallinger, R., F. Prosi, H. Segner and H. Back.** 1987. Contaminated food and uptake of heavy metals by fish: a review and a proposal for further research. *Oecologia* 73:91-98.

**Daniels, R.A. and P.B. Moyle.** 1983. Life history of splittail (Cyrinidae: *Pogonichthys macrolepidotus*) in the Sacramento-San Joaquin estuary. *Fishery Bulletin* 84-3:647-654.

**Davies, P.E.** 1987. Physiological, Anatomic and Behavioural Changes in the Respiratory System of *Salmo gairdneri* Rich. on Acute and Chronic Exposure to Chlorothalonil. *Comp. Biochem. Physiol.*, 88C(1):113-119.

Davies, P.H., Gorman, W.C., Carlson, C.A. and S.F. Brinkman. 1993. Effect of hardness on bioavailability and toxicity of cadmium to rainbow trout. *Chemical Speciation and Bioavailability* 5(2):67-77.

Davis, J.C., and R.W. Hoos. 1975. Use of Sodium Pentachlorophenate and Dehydroabietic Acid as Reference Toxicants for Salmonid bioassays. *J. Fish. Res. Board Can.* 32:411-416.

Davis, E.A., K.J. Maier, and A.W. Knight. 1988. The biological consequences of selenium in aquatic ecosystems. *Calif. Agric.*, 42(1):18-20 & 29.

Deacon, J.E. and W.L. Minckley. 1974. Desert fishes. Pages 385-488 in G.W. Brown, Jr. (Editor), *Desert Biology*, Volume II. Academic Press, New York.

Dedrick, K. 1993. San Francisco Bay tidal marshland acreages: recent and historic values. In O.T. Magooon (ed.): *Proceedings of the Sixth Symposium on Coastal and Ocean Management (Coastal Zone '89)*. Charleston, South Carolina, July 11-14, 1989. Publ by Am. Society of Civil Eng.

DeGroot, D.S. 1927. The California clapper rail: its nesting habits, enemies and habitat. *Condor* 29(6):259-270.

Delacour, J. 1954. *The waterfowl of the world, Vol. 1*. Country Life, Ltd., London.

Devillers, J., and J.M. Exbrayat, editors. 1992. *Malathion*. Pp. 198-201 in: *Ecotoxicity of chemicals to amphibians*. Gordon and Breach Science Publishers, Philadelphia, Reading, Paris, Montreux, Tokyo, Melbourne.

DeWeese, J. 1994. An evaluation of selected wetland creation projects authorized through the Corps of Engineers section 404 program. U. S. Fish and Wildlife Service, Sacramento, California. 90 pp. plus appendices.

DWR and USDI (Department of Water Resources and United States Department of Interior, Bureau of Reclamation, Mid-Pacific Region). 1993. Effects of the Central Valley Project and State Water Project on delta smelt. 134 pp.

DWR and USDI (Department of Water Resources and United States Department of Interior, Bureau of Reclamation, Mid-Pacific Region). 1994. Effects of the Central Valley Project and State Water Project on delta smelt and Sacramento splittail. 230 pp.

Detrich, P.J. 1986. Status and distribution of the bald eagle in California. M.S. Thesis. California State University, Chico, California.

Dial, NA. 1976. Methylmercury: Teratogenic and lethal effects in frog embryos. *Teratology* 13:327-334.

Dominguez, S.E. and G.A. Chapman. 1984. Effect of Pentachlorophenol on the Growth and Mortality of Embryonic and Juvenile Steelhead Trout. *Arch. Environ. Contam. Toxicol.*, 13:739-743.

Donald, D.B. 1983. Erratic occurrence of ostracans in a temporary pond: colonization and extinction or adaptation to variations in annual weather? *Can. J. Zool.* 61:1492-1498.

Driver, E.A. 1981. Caloric value of pond invertebrates eaten by ducks. *Freshwater Biology* 11:579-581.

Drost, C.A. and G.M. Fellers. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. *Conservation Biology* 10:414-425.

DuBowy, P. 1989. Effects of diet on selenium bioaccumulation in marsh birds. *J. Wildl. Manage.*, 53:776-781.

Duellman W.E., and L. Trueb, 1986. *Biology of Amphibians*. The Johns Hopkins University Press, Baltimore and London. 670 pp.

Dunford, W.E. 1975. Space and food utilization by salmonids in marsh habitats in the Fraser River estuary. M.Sc. Thesis. University of British Columbia, Vancouver, B.C. 81 p.

Dunn, E.R. 1940. The races of *Ambystoma tigrinum*. *Copeia* 1940(3):154-162.

Eccles, C.U., and Z. Anna u. 1987. Prenatal exposure to methyl mercury. In Eccles, C.U., Anna u, Z., eds. *The Toxicity of Methylmercury*. Johns Hopkins University Press, Baltimore, MD, USA, pp 114-130.

Eddleman, W.R., and C.J. Conway. 1994. Clapper rail. In T.C. Tacha and C.E. Braun (ed.): *Migratory Shore and Upland Game Bird Management in North America*. Allen Press, Lawrence, Kansas. 223 pp.

Eisler, R., 1985a. Cadmium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report 85(1.2), Patuxent Wildlife Research Center Laurel, U.S. Fish and Wildlife Service, Maryland. 46 pp.

Eisler, R. 1985b. Selenium hazards to fish, wildlife, and invertebrates: a synoptic review. Contaminant Hazard Reviews Report No.5. Patuxent Wildlife Research Center, U.S. Fish and Wildlife Service, Laurel, MD.

Eisler, R., 1986. Chromium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report 85(1.6), Patuxent Wildlife Research Center Laurel, U.S. Fish and Wildlife Service, Laurel, Maryland). 60 pp.

Eisler R., 1987. Mercury Hazards to Fish, Wildlife and Invertebrates: A synoptic Review. US Fish and Wildlife Service, Biological Report 85(1.10), Patuxent Wildlife Research Center Laurel, Maryland. 90 pp.

Eisler, R., 1988a. Arsenic Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report 85(1.12), Patuxent Wildlife Research Center U.S. Fish and Wildlife Service, Laurel, Maryland. 92 pp.

Eisler, R., 1988b. Lead Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report 85(1.14), Patuxent Wildlife Research Center U.S. Fish and Wildlife Service, Laurel, Maryland. 134 pp.

Eisler, R. 1989. Pentachlorophenol Hazards to Fish, Wildlife and Invertebrates: A synoptic review. Biological Report 85(1.17), contaminant Hazard Reviews Report No. 17. U.S. Department of the Interior, Fish and Wildlife Service. Laurel, Maryland, 72 pp.

Eisler, R., 1993. Zinc Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report 10, Patuxent Wildlife Research Center U.S. Fish and Wildlife Service, Laurel, Maryland. 106 pp.

Elwood, Jerry W., Stephen G. Hildebrand, and John J. Beauchamp. 1976. Contribution of gut contents to the concentration and body burden of elements in *Tipula spp.* from a spring-fed stream. *Journal of the Fisheries Research Board of Canada* 33:1930-1938.

Emans, H.J.B., E.J. v.d. Plassche, J.H. Canton, P.C. Okkerman, and P.M. Sparenberg. 1993. Validation of some extrapolation methods used for effect assessment. *Environ. Toxicol. Chem.*, 12:2139-2154.

Eng, L.L. February 1981. Distribution, life history, and status of the California freshwater shrimp, *Syncaris pacifica* (Holmes). California Department of Fish and Game. Inland Fisheries Endangered Species Program Special Publication 81-1. 27 pp.

Eng, L.L., and Daniels, R.A. 1982. Life history, distribution, and status of *Pacifastacus fortis* (Decapoda: Astacidae). Calif. Fish and Game 68:197-212.

Eng, L.L., D. Belk, and C.H. Erickson. 1990. California anostraca: distribution, habitat, and status. J. Crust. Biol. 10:247-277.

Engberg, R.A., D.W. Westcot, M. Delamore, and D.D. Holz. 1998. Federal and state perspectives on regulation and remediation of irrigation-induced selenium problems. Pp. 1-25 in W.T. Frankenberger, Jr., and R.A. Engberg (eds.), Environmental Chemistry of Selenium. Marcel Dekker, New York. 713p.

Environment Canada. In Press. Canadian Water Quality Guideline for Selenium. March, 1997, (Draft 1). Water Management Branch, Environmental and Resource Management Department, B.C. Ministry of Environment, Lands & Parks. Victoria, British Columbia, Canada.

Environment Canada. 1991. Canadian Water Quality Guidelines. Environmental Conservation Service, Ecosystem Science Directorate, Science Policy and Environmental Quality Branch, Guidelines and Standards Division. Ottawa, Ontario.

Erickson, R.J., D.A. Benoit, V.R. Mattson, H.P. Nelson, Jr. and E.N. Leonard. 1996. The effects of water chemistry on the toxicity of copper to fathead minnows. Environmental Toxicology and Chemistry 15:181-193.

Erlich, P.R., D.S. Dobkin, and D. Wheye. 1988. The Birders Handbook. A field guide to the natural history of North American birds. Simon & Schuster, Inc. 785 pp.

Erlich, P.R., D.S. Dobkin, and D. Wheye. 1992. Birds in jeopardy. The imperiled and extinct birds of the United States and Canada, including Hawaii and Puerto Rico. Stanford University Press, Stanford, California. 259 pp.

Estes, J.A. 1980. *Enhydra lutris*. Mammalian species, no. 133, 8 pp.

Evans D.W. and D.W. Engel, 1994. Mercury Bioaccumulation in fin fish and shellfish from Lavaca Bay, Texas: Descriptive models and annotated bibliography. NOAA Technical Memorandum NMFS-S EFSC-348. May 1994, 86pp

Evens, J., and G. Page. 1983. The ecology of rail populations at Corte Madera Ecological Reserve: with recommendations for management. A report to Marin Audubon Society from Point Reyes Bird Observatory. 62 pp.

Everest, F.H. 1973. Ecology and management of summer steelhead in the Rogue River. Oregon State Game Commission. Fishery Research Report 7. 48p.

Fairbrother, A., and J. Fowles. 1990. Subchronic effects of sodium selenite and selenomethionine on several immune functions in mallards. Arch. Environ. Contam. Toxicol., 19:836-844.

Farag, Aida M., C. J. Boese, D.F. Woodward and H.L. Bergman. 1994. Physiological changes and tissue metal accumulation in rainbow trout exposed to foodborne and waterborne metals. Environmental Toxicology and Chemistry 13(12):2021-2029.

FDA (Food and Drug Administration). 1992. Food additives permitted in feed and drinking water of animals: selenium. *Federal Register*, 57(144):33244-33250.

Feaver, Paul. E. 1971. Breeding pool selection and larval mortality of three California amphibians: *Ambystoma tigrinum californiense* Gray, *Hyla regilla* Baird and Girard and *Scaphiopus hammondi hammondi* Girard. Master's thesis, Department of Biology, Fresno State College, Fresno California. 58pp.

Feeley, Leora R. 1991. Snowy plovers and their habitat at the Baumberg area and Oliver salt ponds, Hayward, California, March 1989 through May 1990. Unpubl. Rep., The City of Hayward, 161 pp.

FEMAT (Forest Ecosystem Management Team). 1993. Forest ecosystem management: an ecological, economic, and social assessment. U.S. Forest Service, Natl. Mar. Fish. Serv., Bureau of Land Management, U.S. Fish and Wildlife Service, National Park Service, U.S. Environmental Protection Agency. Portland, Oregon, and Washington, D.C. 843 pp. + app.

Ferren, W.R. and E.M. Gevirtz. 1990. Restoration and creation of vernal pools: cookbook recipes or complex science. Pp. 147-178 in: D.H. Ikeda and R.A. Schlesinger (eds.) *Vernal pool plants--their habitat and biology*. Studies from the Herbarium No. 8, California State University, Chico.

Fimreite, N. 1971. Effects of dietary methylmercury on ring-necked pheasants. *Can. Wildl. Serv. Occas. Pap.* 9. 39pp

Fimreite N., 1974. Mercury contamination of aquatic birds in Northwestern Ontario. *J. Wild. Manage.* 38:120-131.

Findlay, C.S., and J. Houlahan. 1996. Anthropogenic correlates of species richness in southeastern Ontario wetlands. *Conservation Biology* 11(4):1000-1009.

Finlays on, B.J. and S.H. Ashuckian. 1979. Safe zinc and copper levels from the Spring Creek drainage for steelhead trout in the upper Sacramento River, California. *California Fish and Game* 65(2):80-99.

Finlays on, B.J. and K.M. Verrue. 1980. Estimated safe zinc and copper levels for chinook salmon (*Oncorhynchus tshawytscha*) in the upper Sacramento River, California. *California Fish and Game* 66(2):68-82.

Finlayson, B.J. and K.M. Verrue. 1982. Toxicities of copper, zinc, and cadmium mixtures to juvenile chinook salmon. *Transactions of the American Fisheries Society* 111:645-650.

Finley M.P., Stickel WH, and R. E. Christensen. 1979. Mercury residues in tissues of dead and surviving birds fed Methyl Mercury. *Bull. Env contam and tox* vol 21 pp105-110.

Finley M.Y., and R.C. Stendell, 1978. Survival and reproductive success of black ducks fed methylmercury. *Environ. Pollut.*, 16:51-64.

Fitch, H.S. 1940. A biogeographical study of the *ordinoides* Artenkreis of garter snakes (genus *Thamnophis*). *University of California Publications in Zoology* 44(l):1-50.

Fitch, H.S. 1941. Geographic variation in garter snakes of the genus *Thamnophis sirtalis* in the Pacific coast region of North America. *American Midland Naturalist*, 26:570-592.

Fitch, H.S. 1958. Home ranges, territories and seasonal movements of vertebrates in the Natural History Reservation. *Univ. of Kansas Publ. Mus. of Nat. Hist.* 11 (3):63-326.

Flint, T. and G. Zillges. 1980. Little Bear Creek coho salmon stream life study. Wash. Dep. Fish. Prog. Rep. 124, 40 p.

Foerster, K.S. 1989. Summary of California clapper rail winter populations in the San Francisco Bay National Wildlife Refuge, Nov. 1988 to Jan. 1989. Unpublished report. San Francisco Bay National Wildlife Refuge.

Foerster, K.S., and J.E. Takekawa. 1991. San Francisco Bay National Wildlife Refuge Predator Management Plan and Final Environmental Assessment. Unpublished report.

Foerster, K.S., J.E. Takekawa, and J.D. Albertson. 1990. Breeding density, nesting habitat, and predators of the California clapper rail. Final report SFBNR-11640-90-1, prepared for San Francisco Bay National Wildlife Refuge. Newark, CA.

Foote, J.S. 1996. Results of histological examination of sucker tissues: Case 96-96. Memorandum to Mark Buettnner, Bureau of Reclamation, Klamath Falls from Scott Foote, California-Nevada Fish Health Center, U.S. Fish and Wildlife Service dated October 2, 1996. 2pp.

Ford, T. 1977. Status summary report on the Modoc sucker, *Catostomus microps* Rutter. Modoc National Forest, November 1977. 40 pp.

Fox, W. 1951. The status of the garter snake, *Thamnophis sirtalis tetrataenia*. Copeia 1951:257-267.

Fradkin, P.L. 1981. A River No More: the Colorado River and the West. University of Arizona Press, Tucson.

Franson, J.C., N.J. Thomas, M.R. Smith, A.H. Robbins, S. Newman, and P.C. McCartin. 1996. A retrospective study of postmortem findings in red-tailed hawks. *J. Raptor Res.*, 30:7-14.

Fraser, F.J., E.A. Perry and D.T. Lightly. 1983. Big Qualicum River Salmon Development Project, Volume I: A biological assessment, 1959-1972. Can. Tech. Rep. Fish. Aquat. Sci. 1189, 198 p.

Frenzel, R.W. and R.G. Anthony. 1989. Relationship of diets and environmental contaminants in wintering bald eagles. *J. Wildl. Mange.* 53(3):792-802.

Frost, D.R., editor. 1985. Amphibian species of the world: a taxonomic and geographical reference. Allen Press, Inc. and Association of Systematics Collection, Lawrence, Kansas. pp.553-558.

Fry, D.M. 1995. Pollution and fishing threats to marbled murrelets. Pages 257-260 in Ralph, C.J.; George L. Hunt, Jr.; Martin G. Raphael; John F. Piatt (Tech. Eds.). 1995. Ecology and conservation of the marbled murrelet. Gen. Tech. Rep. PSW-GRT-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 420 pp.

Fugate, M.L. 1992. Speciation in the fairy shrimp genus *Branchinecta* (Crustacea: Anostraca) from North America. Ph.D. dissertation. Department of Biology, University of California, Riverside, California.

Furness, R.W., Muirhead S.J., and Woodburn, M. 1986. Using bird feathers to measure mercury in the environment: Relationship between mercury content and molt. *Marine Pollution bulletin* 17(1):362-366.

Gamradt, S.C., and L.B. Kats. 1996. Effect of introduced crayfish and mosquitofish on California newts. *Conservation Biology* 10(4):1155-1162.

- Ganssle, D. 1966. Fishes and decapods of San Pablo and Suisun bays. Pp.64-94 in D.W. Kelley, ed.: Ecological studies of the Sacramento-San Joaquin estuary, Part 1. Calif. Dept. Fish and Game, Fish Bulletin No. 133.
- Garrett, K. and J. Dunn. 1981. Birds of southern California: status and distribution. Los Angeles Audubon Society; 408pp.
- Gehlbach, F.R. 1967. *Ambystoma tigrinum*. Catalogue of American Amphibians and Reptiles 1:52.1-52.4.
- Gerhardt, A. and F. Westermann. 1995. Effects of precipitations of iron hydroxides on *Leptophlebia marginata* (L.) (Insecta: Ephemeroptera) in the field. Archives Hydrobiologia 133(1):81-93.
- Gibbs, J.P. 1998. Amphibian movements in response to forest edges, roads and streambeds in southern New England. Journal of Wildlife Management 62(2):584-589.
- Gilbert, C.H. 1898. The fishes of the Klamath Basin. Bull. U.S. Fish Comm. 17(1897):1-13.
- Gilbert, C.H. 1912. Age at maturity of the Pacific coast salmon of the genus *Oncorhynchus*. Fish. Bull., U.S. 32:3-22.
- Giles, Michael G. 1988. Accumulation of cadmium by rainbow trout, *Salmo gairdneri*, during extended exposure. Can. J. Fish. Aquat. Sci. 45:1045-1053.
- Gill, F.B. 1990. Ornithology. W.H. Freeman and Company, New York, New York. 660 pp.
- Gill, R., Jr. 1979. Status and distribution of the California clapper rail (*Rallus longirostris obsoletus*). Calif. Fish and Game, 65(1):36-49.
- Gill, G.A., and K.W. Bruland. 1990. Mercury speciation in surface freshwater systems in California and other areas. Environ. Sci. Technol. 24(9):1392-1399.
- Gillespie, R.B., and P.C. Bau man. 1986. Effects of high tissue concentrations of selenium on reproduction by bluegills. Trans. Am. Fish. Soc. 115:208-213.
- Gilpin, M.E. and M.E. Soule. 1986. Minimum viable populations: processes of species extinction. Pages 19-34 in M. E. Soule, ed. Conservation biology: the science of scarcity and diversity. Sinauer Associates, Inc., Sunderland, Massachusetts.
- Gira, D., R. Bright, A. Leider, and E. Gevirtz. 1999. The status of agriculture in Santa Barbara County. County of Santa Barbara Planning and Development Department and Agricultural Commissioner, and University of California Cooperative Extension. 45 pp.
- Gober, J. 1994. The relative importance of factors influencing selenium toxicity. Pp. 1021-1031 in: R.A. Marston and V.R. Has further (eds.), Effects of Human-Induced Changes on Hydrologic Systems. Proceedings of Annual Summer Symposium of the American Water Resources Association, June 26-29, 1994, Jackson Hole, WY. American Water Resources Association, Bethesda, MD.
- Goede A.A., deBruin M. 1984. The use of bird feather parts as a monitor for metal pollution. Environ Pollut. (B) 8:281-298.
- Goldman, C.R. and A.J. Horne. 1983. Limnology. McGraw-Hill Book Company, New York, New York.
- Goodman, D. 1987a. The demography of chance extinction. Pages 11-34 in M. E. Soule, ed. Viable populations for conservation. Cambridge University Press, Cambridge, Great Britain.

**Goodman, D.** 1987b. How do any species persist? Lessons for conservation biology. *Conservation Biology* 1:59-62.

**Goodsell, J.A., and L.B. Kats.** 1999. Effect of introduced mosquitofish on Pacific treefrogs and the role of alternative prey. *Conservation Biology* 14:921-924.

**Graf, M.** 1993. Evaluation of mosquito abatement district's use of mosquitofish as biological mosquito control: case study - Sindicich Lagoon in Briones Regional Park. Unpublished manuscript. 22 pp.

**Green, R.H.** 1979. Sampling design and statistical methods for environmental biologists. John Wiley and Sons. New York, NY.

**Greenfield, D.W., S.T. Ross, and G.D. Deckert.** 1970. Some aspects of the life history of the Santa Ana sucker, *Catostomus (Pantosteus) santaanae* (Snyder). *California Fish and Game* 56:166-179.

**Gribanov, V.I.** 1948. Coho (Oncorhynchus kisutch Walb.) (General Biology) Izvestia TINRO, Vol 28. (Translated from Russia by W.E. Ricker) Fish. Res. Board Can. Transl. Ser. No 370.

**Grinnell, J., and C.L. Camp.** 1917. A distributional list of the amphibians and reptiles of California. *University of California Publications in Zoology* 17(10):131, 138.

**Grinnell, J., and A.H. Miller.** 1944. The distribution of the birds of California. Casper Ornithological Club. Berkeley, CA.

**Grinnell, J. and T. Storer.** 1924. Animal life in the Yosemite. University of California Press, Berkeley.

**Grinnell, J., J.S. Dixon, and J.M. Linsdale.** 1937. Fur-bearing Mammals of California, Volume II. University of California Press, Berkeley, CA.

**Gunderson, V.M., K.S. Grant-Webster, T.M. Burbacher, and N.K. Motter.** 1988. Visual recognition memory deficits in methylmercury exposed *Macaca fascicularis* infants. *Neurotoxic Teratol.* 10:373-379.

**Hallock, R.J., W.F. Van Woert and L. Shapavalov.** 1961. An evaluation of stocking hatchery-reared steelhead rainbow trout (*Salmo gairdneri gairdneri*) in the Sacramento River system. *Calif. Fish Game Fish Bull.* 114, 73 p.

**Hamer, T.E. and E.B. Cummins.** 1990. Forest habitat relationships of marbled murrelets in northwestern Washington. Report on file. Washington Dept. Of Wildlife, Nongame program, Olympia, Washington. 51 pp.

**Hamer, T.E., and E.B. Cummins.** 1991. Relationships between forest characteristics and use of inland sites by Marbled Murrelets in northwestern Washington. Report on file. Washington Dept. Of Wild

**Hamer, T.E. and S.K. Nelson.** 1995. Characteristics of Marbled Murrelet nest trees and nesting stands. In: C.J. Ralph, G.L Hunt, M. Raphael, and J.F. Piatt (Tech. eds.). *Ecology and Conservation of the Marbled Murrelet*. Gen. Tech. Rept. PSW-GTR-152. Albany, CA: Pacific Southwest Experiment Station, Forest Station, U.S. Dept. of Agriculture. 420 pp.  
life, Nongame program, Olympia, Washington. 47 pp.

**Hamilton, S.J.** 1998. Selenium effects on endangered fish in the Colorado River Basin. Pp. 297-313 in: W.T. Frankenberger, Jr., and R.A. Engberg (eds.), *Environmental Chemistry of Selenium*. Marcel Dekker, Inc., New York, NY.

**Hamilton, S.J., L. Cleveland, L.M. Smith, J.A. Lebo, and F.L. Mayer. 1986. Toxicity of Pure Pentachlorophenol and Chlorinated Phenoxyphenol Impurities to Fathead Minnows. Environ. Toxic. and Chem., 5:543-552.**

**Hamilton, S.J., K.J. Buhl, and N.L. Faerber. 1989. Toxicity of selenium in the diet to Chinook Salmon. Pp. 23-30 in: A.Q. Howard (Editor-In-Chief), *Selenium and Agricultural Drainage: Implications for the San Francisco Bay and the California Environment*. Proceedings of the Fourth Selenium Symposium, March 21, 1987, Berkeley, CA. The Bay Institute of San Francisco, Sausalito, CA.**

**Hamilton, S.J., K.J. Buhl, N.L. Faerber, R.H. Wiedmeyer, and F.A. Bullard. 1990. Toxicity of organic selenium in the diet to chinook salmon. Environ. Toxicol. Chem. 9:347-358.**

**Hamilton, S.J., K.J. Buhl, F.A. Bullard, and S.F. McDonald. 1996. Evaluation of Toxicity to Larval Razorback Sucker of Selenium-Laden Food Organisms from Ouray NWR on the Green River, Utah. Final Report to the U.S. Fish and Wildlife Service, Denver, CO, 79pp.**

**Hamilton S.J. and Lemly A.D., 1999. Commentary: Water Sediment Controversy in Setting Environmental Standards for Selenium. Ecotoxicology and Environmental Safety 44:227-235.**

**Handy, R.D. 1993. The effect of acute exposure to dietary Cd and Cu on organ toxicant concentrations in rainbow trout, *Onchorhyncus mykiss*. Aquatic Toxicology 27:1-14.**

**Hansen, G.E. 1982. Status of the giant garter snake (*Thamnophis couchi gigas*) along portions of Laguna and Elk Grove creeks, Sacramento County, California. Report to Sacramento County Planning Dept. 15 p.**

**Hansen, G.E. 1986. Status of the giant garter snake *Thamnophis couchi gigas* (Fitch) in the Southern Sacramento Valley During 1986. Final report for Calif. Depart. Fish and Game Standard Agreement No. C-1433. Unpubl. 31 pp.**

**Hansen, G.E. 1988. Review of the status of the giant garter snake (*Thamnophis couchi gigas*) and its supporting habitat during 1986-87. Final report to California Department of Fish and Game, Contract C-2060. 31 pp.**

**Hansen, G.E. 1996. Status of the giant garter snake (*Thamnophis gigas*) in the San Joaquin Valley in 1995. Final report for Calif. Depart. Fish and Game Standard Agreement No. FG4052IF. Unpubl. 31 pp.**

**Hansen, G.E. and J.M. Brode. 1980. Status of the giant garter snake *Thamnophis couchi gigas* (Fitch). California Department of Fish and Game, Inland Fisheries Endangered Species Program Special Publication 80-5, 14 pp.**

**Hansen, R.W. 1980. Western aquatic garter snakes in central California: an ecological and evolutionary perspective. Master of Arts thesis, California State University, Fresno, California, 78 pp.**

**Hansen, R.W. and G.E. Hansen. 1990. *Thamnophis gigas* (giant garter snake) reproduction. Herpetological Review, 21(4):93-94.**

**Hansen, R.W., and R.L. Tremper. 1993. Amphibians and reptiles of central California. California Natural History Guides. University of California Press, Berkeley. 11 pp.**

**Hansen's Biological Consulting, Hanson Environmental Inc., Summers Engineering, Inc., and Tulare Lake Drainage District. 1997a. Monitoring and reporting program, Tulare Lake Drainage District, agricultural sub-surface drainage evaporation basins. Final 1996 Annual Report to the California Regional Water Quality Control Board, Central Valley Region. Fresno, CA. 74 p.**

Hansen's Biological Consulting, Hanson Environmental Inc., and Tulare Lake Drainage District. 1997b. Monitoring and reporting program, Tulare Lake Drainage District, agricultural sub-surface drainage evaporation basins: October 1, 1996 - September 30, 1997. Draft 1997 Annual Report to the California Regional Water Quality Control Board, Central Valley Region. Fresno, CA. 64 p.

Hansen's Biological Consulting, Hanson Environmental Inc., and Tulare Lake Drainage District. 1998. Monitoring and reporting program, Tulare Lake Drainage District, agricultural sub-surface drainage evaporation basins: October 1, 1997 - September 30, 1998. Draft 1998 Annual Report to the California Regional Water Quality Control Board, Central Valley Region. Fresno, CA. 70 p.

Hanson, C.H., R. Hansen, R. Reynolds, and D.E. Davis. 1996. Tulare Lake Drainage District supplement to the 1995 Annual Report. Submission to the Central Valley Regional Water Quality Control Board, Fresno, CA, regarding Waste Discharge Requirement (WDR) Order No. 93-135. 18 p.

Harrison, S.E. and P.J. Curtis. 1992. Comparative accumulation efficiency of <sup>109</sup> cadmium from natural food (*Hyalella azteca*) and artificial diet by rainbow trout (*Oncorhynchus mykiss*). Bull. Environmental Contamination and Toxicology 49:757-764.

Harrison, S.E. and J.F. Klaverkamp. 1989. Uptake, elimination and tissue distribution of dietary and aqueous cadmium by rainbow trout and lake whitefish. Environmental Toxicology and Chemistry 8:87-97.

Harvey, B.C. 1986. Effects of suction dredging on fish and invertebrates in two California streams. North American Journal of Fisheries Management 6:401-409.

Harvey, T.E. 1988. Breeding biology of the California clapper rail in south San Francisco Bay. 1988 Transactions of the Western Section of the Wildlife Society. 24:98-104.

Hashimoto, Y., E. Okubo, T. Ito, M. Yamaguchi, and S. Tanaka. 1982. Changes in Susceptibility of Carp to Several Pesticides with Growth. J. Pesticide Sci. 7:457-461.

Hastings, J.R. and R.M. Turner. 1965. The changing mile: an ecological study of vegetation change with time in the lower mile of an arid and semiarid region. University of Tucson Press, Tucson. 317 pp.

Hatch, A.C., and G.A. Burton, Jr. 1998. Effects of photoinduced toxicity of fluoranthene on amphibian embryos and larvae. Environmental Toxicology and Chemistry 17:1777-1785.

Hayes, M.P. and M.R. Jennings. 1986. Decline of ranid frog species in western North America: Are bullfrogs (*Rana catesbeiana*) responsible? Journal of Herpetology 20:490-509.

Hayes, M.P. and M.R. Jennings. 1988. Habitat correlates of distribution of the California red-legged frog (*Rana aurora draytonii*) and the foothill yellow-legged frog (*Rana boylii*): Implications for management. Pages 144-158 In: R. Szaro, K. E. Severson, and D. R. Patton (technical coordinators). Proceedings of the Symposium on the Management of Amphibians, Reptiles, and Small Mammals in North America. U.S.D.A. Forest Service General Technical Report RM-166.

Hayes, M.P. and D.M. Krempels. 1986. Vocal sac variation among frogs of the genus *Rana* from western North America. Copeia 1986(4):927-936.

Hayes, M.P. and M.M. Miyamoto. 1984. Biochemical, behavioral and body size differences between *Rana aurora aurora* and *R. a. draytonii*. Copeia 1984(4):1018-1022.

Hayes, M.P. and M.R. Tennant. 1985. Diet and feeding behavior of the California red-legged frog, *Rana aurora draytonii* (Ranidae). The Southwestern Naturalist 30(4):601-605.

- Healy, M.C.** 1983. Coastwide distribution and ocean migration patterns of stream- and ocean-type chinook salmon, *Oncorhynchus tshawytscha*. Can. Field-Nat. 97:427-433.
- Healey, M.C.** 1991. The life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-393 in C. Groot and L. Margolis (eds.), Life History of Pacific Salmon. University B.C. Press, Vancouver, B.C.
- Hedtke, S.F., C.W. West, K.N. Allen, J.J. Norberg-King, and D.I. Mount.** 1986. Toxicity of pentachlorophenol to aquatic organisms under naturally varying and controlled environmental conditions. Environ. Toxic. and Chem., 5:531-542.
- Heinz, G.** 1974. Effects of low dietary levels of methyl mercury on mallard reproduction. Bull. Environ. Contam. Toxicol. 11:386-392.
- Heinz, G., and L.N. Locke,** 1975. Brain Lesions in Mallard Ducklings from Parents Fed Methylmercury. Av. Dis. 20(1):9-17.
- Heinz, G.H.** 1979. Methylmercury: reproductive and behavioral effects on three generations of mallard ducks. J. Wildl. Manage. 43(2):394-401.
- Heinz, G.H.** 1996. Selenium in birds. Pp. 453-464 in W.N. Beyer, G.H. Heinz, and A.W. Redmon, (eds.), Interpreting Environmental Contaminants in Animal Tissues. Lewis Publishers, Boca Raton, FL.
- Heinz, G.H., and M.A. Fitzgerald.** 1993. Overwinter survival of mallards fed selenium. Arch. Environ. Contam. Toxicol., 25:90-94.
- Heinz, G.H., and D.J. Hoffman.** 1998. Methylmercury chloride and selenomethionine interactions on health and reproduction in mallards. Environ. Toxicol. Chem., 17:139-145.
- Heinz, G.H., G.W. Pendleton, A.J. Krynnitsky, and L.G. Gold.** 1990. Selenium accumulation and elimination in mallards. Arch. Environ. Contam. Toxicol. 19:374-379.
- Hendrickson, D.A. and W.L. Minckley.** 1985. Cienegas -- vanishing climax communities of the American southwest. Desert Plants 6(1984):131-175.
- Henny, C.J., and G.B. Herron.** 1989. DDE, selenium, mercury, and white-faced ibis reproduction at Carson Lake, Nevada. J. Wildl. Manage., 53:1032-1045
- Heubach, B.** 1992. Letter to P. Busby, 1 December 1992, Trinity River Basin fall-run steelhead data, 1 p. plus enclosure. California Dep. Fish Game. (Available Environmental and Technical Services Division, Natl. Mar. Fish. Serv., 525 N.E. Oregon Street, Portland, OR 97232.)
- Hickman, T., and R.F. Raleigh.** 1982. Habitat suitability index models: cutthroat trout. Report number FWS/OBS-82/10.5. USDI Fish and Wildlife Service, Western Energy and Land Use Team, Office of Biological Services, Washington D.C.
- Higgins, P.** 1991. Southern California steelhead recovery assessment. Report of the South Coast Chapter, Trout Unlimited, 26 pp.
- Hinds, N.E.A.** 1952. Evolution of the California landscape. Calif. Div. of Mines Bull. No. 158. 240 pp.
- Hodson, P.V. and B.R. Blunt.** 1981. Temperature-Induced Changes in Pentachlorophenol Chronic Toxicity to Early Life Stages of Rainbow Trout. Aquatic Toxicology, 1:113-127.

Hodson, P.V., D.J. Spry, and B.R. Blunt. 1980. Effects on rainbow trout (*Salmo gairdneri*) of a chronic exposure to waterborne selenium. *Can. J. Fish. Aquat. Sci.*, 37:233-240.

Hoffman and Moore. 1979. Teratogenic effects of external egg applications of methylmercury in the Mallard, *Anas platyrhynchos*. *Teratology* 20:453-462.

Hoffman, D.J., G.H. Heinz, L.J. LeCaptain, C.M. Bunck, and D.E. Green. 1991. Subchronic hepatotoxicity of selenomethionine ingestion in mallard ducks. *J. Toxicol. Environ. Health*, 32:449-464.

Hoffman, D.J., G.H. Heinz, L.J. LeCaptain, J.D. Eisemann, G.W. Pendleton. 1996. Toxicity and oxidative stress of different forms of organic selenium and dietary protein in mallard ducklings. *Arch. Environ. Contam. Toxicol.*, 31:120-127.

Holland, D. C. 1997. Preliminary report and notes on the results of mountain yellow-legged frog (*Rana muscosa*) surveys for the San Bernardino National Forest, summer-fall 1997. Report prepared for the San Bernardino National Forest. 5 p.

Holland, R.F. 1978. The geographic and edaphic distribution of vernal pools in the Great Central Valley, California. California Native Plant Society, Special Publication 4:1-12.

Holland, R.F., and S. Jain. 1988. Vernal pools. Pages 515-533 in M. E. Barbour and J. Major, eds. *Terrestrial vegetation of California*, new expanded edition. California Native Plant Society, Special Publication Number 9, Sacramento, California.

Holomuzki, J.R. 1986. Predator avoidance and diel patterns of microhabitat use by larval tiger salamanders. *Ecology*, 67(3), pp. 737-748.

Hothen, R.L., and S.G. Zador. 1995. Environmental contaminants in eggs of California least terns (*Sterna antillarum browni*). *Bull. Environ. Contam. Toxicol.*, 55:658-665.

Howarth, R.S. and J.B. Sprague. 1978. Copper lethality to rainbow trout in waters of various hardness and pH. *Water Research* 12:455-462.

Howe, C.B. 1968. Ancient tribes of the Klamath country. Binfords and Mort, Portland, OR. 252 pp.

Howell, S.N.G. and S. Webb. 1995. A guide to the birds of Mexico and Northern Central America. Oxford University Press. New York. 851 pp.

Hunn, J.B. 1985. Role of calcium in gill function in freshwater fishes. *Comprehensive Biochemistry and Physiology* 82A(3):543-547.

Hunter, J., S. Miller, C.J. Ralph, L. Roberts, K. Schmidt, and H. Stauffer. 1997. Status of the marbled murlet in the Inner North Coast Ranges of California. 30 pp.

Hunt, L.E. 1998. Premiere Partners plan III Mesa Vineyard Property, Los Alamos Valley, Santa Barbara County, California. Vernal Pool Amphibian Management Plan. 35 pp. and figures.

Ide , C., A. Jelasio and C. Austin. 1995. Effects of methylmercury chloride on development of the frog *Xenopus laevis*. Proceedings, Thirteenth International Neurotoxicology Conference on Developmental Neurotoxicity of Endocrine Disrupters, Hot Springs, Ark. neurotoxicology (Little Rock) pp. 763-764.

Imai I., S. Itakura, Y. Matsuyama, and M. Yamaguchi. 1996. Selenium requirement for growth of a novel red tide flagellate *Chattonella verruculosa* (Raphidophyceae) in culture. *Fisheries Sci.*, 62:834-835.

Ingersoll, Chris G., W.G. Brumbaugh, F.J. Dwyer and N.E. Kemble. 1994. Bioaccumulation of metals by *Hyalella azteca* exposed to contaminated sediments from the upper Clark Fork River, Montana. Environmental Toxicology and Chemistry. 13(12):2013-2020.

Irschick, D.J., and H.B. Shaffer. 1997. The polytypic species revisited: morphological differentiation among tiger salamanders (*Ambystoma tigrinum*) (Amphibia: Caudata). Herpetologica 53(1):30-49.

Irwin, J.F., and D.L. Soltz. 1984. The natural history of the tidewater goby, *Eucyclogobius newberryi*, in the San Antonio and Shuman Creek System, Santa Barbara, California. U.S. Fish and Wildlife Service. Contract Order No. 11310-0215-2.

Iwama, G.K., G.L. Greer, and D.J. Randall. 1986. Changes in selected haematological parameters in juvenile chinook salmon subjected to a bacterial challenge and a toxicant. J. Fish. Biol., 28:563-572.

Jacobs, R.A. 1986. Snowy plover (*Charadrius alexandrinus*). Section 4.4.1, U.S. Army Corps of Engineers Wildlife Resources Management Manual, Technical Report EL-86-54, Portland, Oregon. 25 pp.

Janes, N. and R.C. Playle. 1995. Modeling silver binding to gills of rainbow trout (*Oncorhynchus mykiss*). Environmental Toxicology and Chemistry 14:1847-1858.

Jarmain W.M., Burns S.A., Chang R.R., Stephens, R.D., Norstrom, Simon M. Linthicum J., 1993. Determination of PCDDs, PCDFs, and PCBs in California peregrine falcons (*Falco peregrinus*) and their eggs. Env. Tox. and Chem. 12:105-114.

Jennings, M.R. 1988. Natural history and decline of native ranids in California. Pages 61-72 In: H.F. DeLisle, P.R. Brown, B. Kaufman, and B.M. McGurty (editors). Proceedings of the conference on California herpetology. Southwestern Herpetologists Society, Special Publication (4):1-143.

Jennings, M.R. 1995. Population status of the mountain yellow-legged frog (*Rana muscosa*) in the Angeles National Forest. Report prepared by the National Biological Survey, California Pacific Science Center. 9 p.

Jennings, M.R. and M.P. Hayes. 1985. Pre-1900 overharvest of California red-legged frogs (*Rana aurora draytonii*): The inducement for bullfrog (*Rana catesbeiana*) introduction. Herpetologica 41(1):94-103.

Jennings, M.R. and M.P. Hayes. 1990. Status of the California red-legged frog *Rana aurora draytonii* in the Pescadero Marsh Natural Preserve. Report prepared for the California Department of Parks and Recreation, Sacramento, CA. 30 pp. + Tables and Figures.

Jennings, M.R., and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. Final report to California Dept. of Fish and Game. Pp. 12-16.

Jennings, M.R., M.P. Hayes, and D.C. Holland. 1992. A petition to the U.S. Fish and Wildlife Service to place the California red-legged frog (*Rana aurora draytonii*) and the western pond turtle (*Clemmys marmorata*) on the list of endangered and threatened wildlife and plants. 21 pp.

Jennings, M.R. and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. Final report submitted to the California Department of Fish and Game, Rancho Cordova, California. Pp 74-78.

Johansen, P.H., R.A.S. Mathers, J.A. Brown. 1987. Effect of exposure to several pentachlorophenol concentrations on growth of young-of-year largemouth bass, *Micropterus salmoides*, with comparisons to other indicators of toxicity. Bull. Environ. Contam. Toxicol., 39:379-384.

- Johansen, P.H., R.A.S. Mathers, J.A. Brown, and Colgan. 1985. Mortality of early life stages of largemouth bass, *Micropterus salmoides* due to pentachlorophenol exposure. Bull. Environ. Contam. Toxicol., 34:377-384.
- Johns, G.E. 1989. Executive summary: Regulation of agricultural drainage to the San Joaquin River. Pp. 198-215 in A.Q. Howard (ed.), Selenium and Agricultural Drainage: Implications for San Francisco Bay and the California Environment. Proceedings of the Fourth Selenium Symposium, March 21, 1987, Berkeley, California. The Bay Institute of San Francisco, Sausalito, CA. 215 p.
- Johnson, M.L. 1964. San Lorenzo River System, Santa Cruz County. Calif. Dep. Fish Game, Region 3, unpubl. file rep., 8 p. (Available from the Administrative Record for coho salmon in Scott and Waddell Creeks, Natl. Mar. Fish. Serv., Southwest Region, 501 W. Ocean Boulevard, Suite 4200, Long Beach, CA 90802-4213.)
- Johnson, R.R. and L.T. Haight. 1984. Riparian problems and initiatives in the American Southwest: A regional perspective. Pages 404-412, in R.E. Warner and K.M. Hendrix eds. California riparian systems: Ecology, conservation, and productive management. University of California Press, Berkeley, California.
- Jones and Stokes Assoc., Inc. 1993. Sutter Bypass fisheries technical memorandum II: Potential entrapment of juvenile chinook salmon in the proposed gravel mining pond. May 27, 1993 (JSA 91-272). Sacramento, California. Prepared for Teichert Aggregates, Sacramento, California. 31pp + Appendix.
- Jones, T.R. 1993. Intraspecific genetic variation and cladogenesis in California tiger salamanders (*Ambystoma tigrinum californiense* Gray). Unpublished manuscript. 49 pp.
- Jonez, A., and R.C. Sumner. 1954. Lakes Mead and Mohave investigations: a comparative study of an established reservoir as related to a newly created impoundment. Final Report Federal Aid Project F-1-R. Nevada Fish and Game Commission, Reno.
- Jordan, D.S. 1891. Report of explorations in Colorado and Utah during the summer of 1889 with an account of the fishes found in each of the river basins examined. Bulletin of the United States Fish Commission 9:24.
- Kann, J., and V.H. Smith. 1993. Chlorophyll as a predictor of elevated pH in a hypertrophic lake: Estimating the probability of exceeding critical values for fish success. Klamath Tribes Res. Rep. KT-92-02. 22pp.
- Kiesecker, J.M., and A.R. Blaustein. 1997. Influences of egg laying behavior on pathogenic infection of amphibian eggs. Conservation Biology 11(1):214-220.
- Kiesecker, J.M. and A.R. Blaustein. 1998. The effects of introduced bullfrogs and smallmouth bass on microhabitat use, growth, and survival of native red-legged frogs (*Rana aurora*). Conservation Biology 12(4):776-787.
- Kiffney, Peter M. and William H. Clements. 1993. Bioaccumulation of heavy metals at the Arkansas River, Colorado. Environmental Toxicology and Chemistry 12:1507-1517.
- Kim E.Y., Murakami T., Saefi K., Tatsukawa R., 1996. Mercury levels and its chemical form in tissues and organs of seabirds. Arch. Environ. Contam. Toxicol. 30, 259-266.
- Kishino, T. and K. Kobayashi. 1994. Relation between the chemical structures of chlorophenols and their dissociation constants and partition coefficients in several solvent-water systems. Water Research, 28(7):1547-1552.

- Kishino, T. and K. Kobayashi. 1995. Relation Between Toxicity and Accumulation of Chlorophenols at various pH, and their absorption mechanism in fish. *Water Research*, 29(2):431-442.
- Klebenow, D.A. and R.J. Oakleaf. 1984. Historical avifaunal changes in the riparian zone of the Truckee River, Nevada. Pages 203-209 in: California Riparian Systems. R.E. Warner and K.M. Hendrix, Eds. University of California Press, Berkeley, California.
- Knap P.R.A. 1996. Non-native trout in natural lakes of the Sierra Nevada: an analysis of their distribution and impacts on native biota. In Sierra Nevada Ecosystem Project, Vol. 3. Centers for Wildland Resources. University of California, Davis, CA.
- Kohlhorst, D.W., L.W. Botsford, J.S. Brennan, and G.M. Cailliet. 1991. Aspects of the structure and dynamics of an exploited Central California population of white sturgeon (*Acipenser transmontanus*). Pp. 277-293 in: P. Williot (ed.), Acipenser: Proceedings of the 1st International Sturgeon Conference, October 3-6, 1989, Bordeaux, France. Centre National du Machinisme Agricole du Genie Rural des Eaux et des Forets, Bordeaux, France.
- Koller, L.D., and J.H. Exon. 1986. The two faces of selenium -- deficiency and toxicity -- are similar in animals and man. *Can. J. Vet. Res.*, 50:297-306.
- Krapu, G.L. 1974. Foods of breeding pintails in North Dakota. *J. Wild. Manag.* 38(3):408-417.
- Kroll, K.J., and S.I. Doroshov. 1991. Vitellogenin: potential vehicle for selenium bioaccumulation in oocytes of the white sturgeon (*Acipenser transmontanus*). Pp. 99-106 in: P. Williot (ed.), Acipenser: Proceedings of the 1st International Sturgeon Conference, October 3-6, 1989, Bordeaux, France. Centre National du Machinisme Agricole du Genie Rural des Eaux et des Forets, Bordeaux, France.
- Kuletz, K. 1991. Interim summary of the 1991 marbled murrelet restoration project, draft report. U.S. Fish and Wildlife Service, Anchorage, Alaska. 6 pp.
- Kupferberg, S.J. 1997. Bullfrog (*Rana catesbeiana*) invasion of a California river: the role of larval competition. *Ecology* 78(6):1736-1751.
- La Rivers, I. 1962. Fishes and fisheries of Nevada. Nevada State Fish and Game Commission, Reno 782 pp.
- Lanaway, C.S. 1974. Environmental factors affecting crustacean hatching in five temporary ponds. M.S. thesis. Department of Biological Science, Chico State University, Chico, California.
- Larsen, S.S. 1994. Life history aspects of the San Francisco garter snake at the Millbrae habitat site. Unpubl. MS, Calif. State Univ., Hayward, 105 pp.
- Larsen, C.T., F.W. Pierson, and W.B. Gross. 1997. Effect of dietary selenium on the response of stressed and unstressed chickens to *Escherichia coli* challenge and antigen. *Biol. Trace Elem. Res.*, 58:169-176.
- Launer, A., and C. Fee. 1996. Biological research on California tiger salamanders at Stanford University. 25 pp. plus figures, tables, and appendix.
- Lauren, D.J. and D.G. McDonald. 1986. Influence of water hardness, pH, and alkalinity on the mechanisms of copper toxicity in juvenile rainbow trout, *Salmo gairdneri*. *Canadian Journal of Fisheries and Aquatic Sciences* 43:1488-1496.
- Lauren, D.J. and D.G. McDonald. 1987a. Acclimation to copper by rainbow trout, *Salmo gairdneri*: Physiology. *Canadian Journal of Fisheries and Aquatic Sciences* 44:99-104.

- Lauren, D.J. and D.G. McDonald. 1987 b. Acclimation to copper by rainbow trout, *Salmo gairdneri*: Biochemistry. Canadian Journal of Fisheries and Aquatic Sciences 44:105-111.
- Lea, T.N. 1968. Ecology of the Lahontan cutthroat trout, *Salmo clarki henshawi*, in Independence Lake, California. M.S. Thesis, University of California, Berkeley. 95 pp.
- Lawler, S.P., D. Dritz, T. Strange, and M. Holyoak. 1999. Effects of introduced mosquitofish and bullfrogs on the threatened California red-legged frog. Conservation Biology 13(3):613-622.
- Lawrenz, R. W. 1984-85. The response of invertebrates in temporary vernal wetlands to Altosid® SR-10 as used in mosquito abatement programs. Journal of the Minnesota Academy of Science 50: 31-34.
- Lefcourt, H., K.A. Hancock, K.M. Maur, D.C. Rostal. 1997. The effects of used motor oil, silt, and the water mold *Saprolegnia parasitica* on the growth and survival of mole salamanders (Genus *Ambystoma*). Archives of Environmental Contamination and Toxicology 32: 383-388.
- Lehman, R.N. 1979. A survey of selected habitat features of 95 bald eagles nests in California. Calif. Dept. Fish and Game Wildl. Manage. Branch Admin. Rep. 79-1. Sacramento, CA.
- Leidy, R.A. and G.R. Leidy. 1984. Life stage periodicities of anadromous salmonids in the Klamath River Basin, northwestern California. U.S. Fish and Wildlife Service, Sacramento, California. 38 p.
- Lemly, A.D. 1985a. Ecological basis for regulating aquatic emissions from the Power Industry: the case with selenium. Regulatory Toxicol Pharmacol, 5:465-486.
- Lemly, A.D. 1985b. Toxicology of selenium in a freshwater reservoir: implications for environmental hazard evaluation and safety. Ecotoxicol. Environ. Safety, 10:314-338.
- Lemly, A.D. 1989. An overview of the biological cycling and toxicity of selenium in aquatic ecosystems. Pp. 113-123 in A.Q. Howard (ed.), Selenium and Agricultural Drainage: Implications for San Francisco Bay and the California Environment. Proceedings of the Fourth Selenium Symposium, March 21, 1987, Berkeley, California. The Bay Institute of San Francisco, Sausalito, CA. 215 p.
- Lemly, A.D. 1993a. Guidelines for evaluating selenium data from aquatic monitoring and assessment studies. Environ. Monitor. Assess., 28:83-100.
- Lemly, A.D. 1993b. Metabolic stress during winter increases the toxicity of selenium to fish. Aquatic Toxicol., 27:133-158.
- Lemly, A.D. 1995. A protocol for aquatic hazard assessment of selenium. Ecotoxicol. Environ. Safety, 32:280-288.
- Lemly, A.D. 1996a. Assessing the toxic threat of selenium to fish and aquatic birds. Environ. Monit. Assess., 43:19-35.
- Lemly, A.D. 1996b. Selenium in aquatic organisms. Pp.427-445 in: W.N. Beyer, G.H. Heinz, and A.W. Redmon, (eds.), Interpreting Environmental Contaminants in Animal Tissues. Lewis Publishers, Boca Raton, FL.
- Lemly, A.D. 1996c. Winter stress syndrome: an important consideration for hazard assessment of aquatic pollutants. Ecotoxicol. Environ. Safety, 34:223-227.
- Lemly, A.D. 1997. Ecosystem recovery following selenium contamination in a freshwater reservoir. Ecotoxicology and Environmental Safety, 36:275-281.

Lemly, A.D. 1998. Pathology of selenium poisoning in fish. Pp. 281-296 in W.T. Frankenberger, Jr., and R.A. Engberg (eds.), Environmental Chemistry of Selenium. Marcel Dekker, New York. 713 p.

Lemly, A.D., and G.J. Smith. 1987. Aquatic cycling of selenium: implications for fish and wildlife. Fish and Wildlife Leaflet No. 12. U.S. Fish and Wildlife Service, Washington, D.C.

Lensik C.J., 1962. The history and status of sea otters in Alaska. PhD. diss., Purdue Univ., Lafayette, IN. 216 pp. Cited in Zeiner, California's Wildlife, 1990.

Lewis, S.A., and Furness R.W. 1991. Mercury accumulation and excretion in laboratory reared black-headed gull *Larus ridibundus* chicks. Archives of Env. Contam. And Tox. 21:316-320.

Light, J.T. 1987. Coastwide abundance of North American steelhead trout. (Document submitted to the annual meeting of the INPFC, 1987). Fisheries Research Institute Report FRI-UW-8710. Univ. Washington, Seattle. 18 p.

Ligon, J.S. 1961. New Mexico Birds and where to find them. The University of New Mexico Press, Albuquerque, New Mexico.

Lillebo, H.P., S. Shaner, D. Carlson, N. Richard, and P. DuBowy. 1988. Water quality criteria for selenium and other trace elements for protection of aquatic life and its uses in the San Joaquin Valley. SWRCB Order No. W.Q. 85-1 Technical Committee Report, Appendix D. California State Water Resources Control Board, Sacramento, CA.

Lin, Hong and D.J. Randall. 1990. The effect of varying water pH on the acidification of expired water in rainbow trout. Journal of Experimental Biology 149:149-160.

Linder, F. 1952. The morphology and taxonomy of the brachiopod *Nostraca*, with special reference to the North American species. Proc. U.S. Nat. Mus. 102:1-57

Lindqvist, O., K. Johansson, M. Aastrup, A. Andersson, L. Bringmark, G. Hovsenius, L. Hakanson, A. Iverfeldt, M. Meili, and B. Timm. 1991. Mercury in the Swedish environment: Recent research on causes, consequences and corrective methods. Water Air Soil Pollut., 55:1-251.

Linthicum, J. ed. 1989. Peregrine falcon monitoring nest management, hack site, and cross fostering efforts. Annual Report. Santa Cruz Predatory Bird Research Group, Santa Cruz, Ca.

Little, E.E., R.D. Archeski, B.A. Flerov, and V.I. Kozlovskaya. 1990. Behavioural Indicators of Sublethal Toxicity in Rainbow Trout. Arch. Environ. Contam. Toxicol., 19:380-385.

Littleton, T.M. 1993. Water quality and fishes of the Lower Klamath and Tule Lake National Wildlife Refuges. Masters Thesis, University of Washington, Seattle, WA. 53 pp.

Littrell, E.E., 1991. Mercury in western grebes at Lake Berryessa and Clear Lake California. California Fish and Game 77(3):142-144.

Loeffel, R.E. and H.O. Wendler. 1968. Review of the Pacific coast chinook and coho salmon resources with special emphasis on the troll fishery. Prepared by the U.S. working group of the Informal Committee on Chinook and Coho, 107 p.

Longhurst, A.R. 1955. A review of the *Nostraca*. Bull. Brit. Mus. (Nat. Hist.) Zool. 3:1-57.

Long E.R., Buchman M.F., Bay S., Breteler R.J., Carr, R.S., Chapman P.M., Hose J.E., Lissner A.L., Scott J., Wofle D.A., Comparative Evaluation of Five Toxicity Tests with Sediments from San Francisco Bay and Tomales Bay, California. Env. Tox and Chem, Vol. 9 pp 1193-1214, 1990.

Lonzarich, D.G., T.E. Harvey, and J.E. Takekawa. 1992. Trace element and organochlorine concentrations in California Clapper Rail (*Rallus longirostris obsoletus*) eggs. Arch. Environ. Contam. Toxicol., 23:147-153.

Loredo, I. and D. Van Vuren. 1996. Reproductive ecology of a population of the California tiger salamander. Copeia 1996(4):895-901.

Loredo, I., D. Van Vuren and M. L. Morrison. 1996. Habitat use and migration behavior of the California tiger salamander. Journal of Herpetology 30(2):282-285.

Loredo-Prendeville, I., D. Van Vuren, A.J. Kuenzi, and M.L. Morris on. 1994. California ground squirrels at Concord Naval Weapons Station: alternatives for control and the ecological consequences. Pp. 72-77 in: W.S. Halverson and A.C. Crabb, eds. Proceedings, 16<sup>th</sup> Vertebrate Pest Conference. University of California Publications.

Lowe, D.H., D.S. Hinds, and E.A. Halpern. 1967. Experimental catastrophic selection and tolerances to low oxygen concentration in native Arizona freshwater fishes. Ecology 48: 1013-1017.

Luoma, S.N. and J.L. Carter. 1991. Effects of trace metals on aquatic benthos. Pages 261-300 in Michael C. Newman and Alan W. McIntosh, editors. Metal ecotoxicology: concepts and applications. Lewis Publishers, Chelsea, Michigan.

Luoma, S.N., and R. Linville. 1997. A comparison of selenium and mercury concentrations in transplanted and resident bivalves from North San Francisco Bay. Pp. 160-170 in: 1995 Annual Report: San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute, Richmond, CA.

Lynch, T.R., C.J. Popp, and G.Z. Jacobi. 1988. Aquatic insects as environmental monitors of trace metal contamination: Red River, New Mexico. Water, Air, and Soil Pollution 42:19-31.

Maahs, M. and J. Gillard. 1994. Anadromous salmonid resources of Mendocino coastal and inland rivers 1990-1991 through 1991-1992: an evaluation of rehabilitation efforts based on carcass recovery and spawning activity. Report to the Calif. Dept. Fish Game, Fish. Div. Restor. Prog., Contract F-9364, 66 p.

MacFarlane, R. Bruce. 1997. Juvenile chinook salmon feeding prey associated with benthos or particulates. Unpublished report. National Marine Fisheries Service. National Oceanic and Atmospheric Administration.

Mader, H.J., 1984. Animal habitat isolation by roads and agricultural fields. Biological Conservation 29: 81-96.

Maier, K.J., C.R. Nelson, F.C. Bailey, S.J. Klaine, and A.W. Knight. 1998. The accumulation of selenium by the aquatic biota of a watershed treated with seleniferous fertilizer. Bulletin of Environmental Contamination and Toxicology, 60:409-416.

Maier, K.J. and A.W. Knight. 1994. Ecotoxicology of Selenium in Freshwater Systems. Reviews of Environmental Contamination and Toxicology, 134:31-48.

- Maier, K.J., C. Foe, R.S. Ogle, M.J. Williams, A.W. Knight, P. Kiffney, and L.A. Melton.** 1987. The dynamics of selenium in aquatic ecosystems. Pp. 361-408 in: D.D. Hemphill (ed.), *Trace Substances In Environmental Health*. University of Missouri Press, Columbia, MO.
- Marsh, P.C. and D.R. Langhorst.** 1988. Feeding and fate of wild larval razorback sucker. *Environmental Biology of Fishes* 21:59-67.
- Marsh, P.C., and W.L. Minckley.** 1989. Observations on recruitment and ecology of razorback sucker: Lower Colorado River, Arizona-California-Nevada. *Great Basin Naturalist* 49, 71-78.
- Marsh, R.E.** 1987. Ground squirrel control strategies in Californian agriculture. Pp. 261-277 in: C.G.J. Richards and T.Y. Ku, eds. *Control of mammal pests*. Taylor and Francis, London, New York and Philadelphia.
- Marshall, D.B.** 1988. Status of the marbled murrelet in North America: with special emphasis on populations in California, Oregon, and Washington. *Audubon Society of Portland*. 42 pp.
- Mason, R.P., and W.F. Fitzgerald.** 1993. The distribution and biogeochemical cycling of mercury in the Equatorial Pacific Ocean. *Deep Sea Res.* 40:1897-1924.
- Massey, B.W.** 1974. Breeding biology of the California least tern. *Proc. Linnaean Soc.* 72:1-24.
- Matida, Y., S. Kimura, M. Yokote, H. Kumada, and H. Tanaka.** 1971. Study on the toxicity of agricultural control chemicals in relation to freshwater fisheries management No. 5. Some effects of sodium pentachlorophenate to freshwater fishes. *Bull. Freshwater. Fish. Res. Lab. (Tokyo)*, 20(2):127-146.
- Matsui, M.** 1981. The effects of introduced teleost species on the social behavior of *Cyprinodon macularius californiensis*. Unpublished Thesis, Occidental College, Los Angeles, California. 61 pp.
- McAfee, W.R.** 1966. Lahontan cutthroat trout. In A. Calhoun, ed., *Inland Fisheries Management*. California Department of Fish and Game, Sacramento. Pp. 225-231.
- McCarthy, C.W., and W.L. Minckley.** 1987. Age estimation for razorback sucker (Pisces: Catostomidae) from Lake Mohave, Arizona and Nevada. *Journal of the Arizona-Nevada Academy of Science* 21:87-97.
- McDonald, J.** 1960. The behavior of Pacific salmon fry during their downstream migration to freshwater and saltwater nursery areas. *J. Fish. Res. Board Can.* 17(5):655-676.
- McEwan, D. and T.A. Jackson.** 1996. Steelhead Restoration and Management Plan for California. California Dep. Fish Game, 234 p.
- McIsaac, D.O., and T.P. Quinn.** 1988. Evidence for a hereditary component in homing behavior of chinook salmon (*Oncorhynchus tshawytscha*). *Can. J. Fish. Aquat. Sci.* 45: 2201-2205.
- McKim, J.M., G.F. Olson, G.W. Holcombe, and E.P. Hunt.** 1976. Long-term effects of methylmercuric chloride on three generations of brook trout (*Salvelinus fontinalis*): toxicity, accumulation, distribution, and elimination. *J. Fish Res. Board Can.* 33: 2726-2739.
- McKnight, Diane M. and G.L. Feder.** 1984. The ecological effect of acid conditions and precipitation of hydrous metal oxides in a Rocky Mountain stream. *Hydrobiologia* 119:129-138.
- McLean, B.** 1998. Wildlife health alert no. 98-02. Virus associated with tiger salamander mortality on Utah lake. National Wildlife Health Center, Madison, Wisconsin. 1 pg.

Meffe, G.K. 1985. Predation and species replacement in American Southwestern stream fishes: a case study. *Southwestern Naturalist* 30:173-187.

Meili, M. 1996. Dramatic effects of selenium addition to lakes on the mercury concentrations and the survival of fish. Fourth International Conference on Mercury as a Global Pollutant, August 4-8, 1996, Hamburg, Germany. Abstract Book, p. 26.

Meister, R.T., editor. 1997. Farm chemicals handbook. Meister Publishing Company, Willoughby, Ohio. 943 pp.

Merigan, W.H., J.P.J. Maurissen, B. Weiss, T. Eskin, and L.W. Lapham. 1983. Neurotoxic actions of methylmercury on the primate visual system. *Neurobehav. Toxicol. Teratol.* 5:649-658.

Merz, Joseph E. and C. David Vanicek. 1996. Comparative feeding habits of juvenile chinook salmon, steelhead, and Sacramento squawfish in the lower American River, California. *California Fish and Game* 82(4):149-159.

Messersmith, J.D. 1966. Fishes collected in Carquinez Straight in 1961-1962. Pages 57-62 in: D.W. Kelly, editor. *Ecological Studies of the Sacramento-San Joaquin Estuary, Part 1*. Calif. Dept. Fish and Game, Fisheries Bulletin 133.

Meyer M., 1998. Ecological Risk of Mercury in the Environment: The Inadequacy of the "The Best Available Science." *Env. Tox. and Chem.* 17:2, 139-145.

Meyers, M., W.D. Evers, T. Daulton, and E. Braselton, (1996). Common loons (*Gavia immer*) nesting on low pH lakes in northern Wisconsin have elevated blood mercury content. Proceedings of 3rd International Conference on Mercury as a Global Pollutant, Whistler, British Columbia, July 10-14, 1994. Kluwer Academic Publishers, Dordrecht, Netherlands pp. 871-880.

Miller, R.J., and E.L. Brannon. 1982. The origin and development of life-history patterns in Pacific salmon. Pages 296-309 in E.L. Brannon and E.O. Sado (eds.), *Proceedings of the Salmon and Trout Migratory Behavior Symposium*. Univ. Wash. Press, Seattle, WA.

Miller, R.R. 1968. Records of some native fresh water fishes transplanted into various waters of California, Baja California, and Nevada. *California Fish and Game*, 54:170-179.

Miller, R.R. and L.A. Fuiman. 1987. Description and conservation status of *Cyprinodon macularius eremus*, a new subspecies of pupfish from Organ Pipe Cactus National Monument, Arizona. *Copeia* 1987(3):593-609.

Miller, D.J., and R.N. Lea. 1972. Guide to the coastal fishes of California. California Department of Fish and Game, Fish Bulletin.

Miller, R.R. and G.R. Smith. 1981. Distribution and Evolution of *Chasmistes* (Pisces: Catostomidae) in Western North America. *Occasional papers of the Museum of Zoology*, University of Michigan, Ann Arbor. 696:1-46.

Miller, P.A., R.P. Lanno, M.E. McMaster and D.G. Dixon. 1993. Relative contributions of dietary and waterborne copper to tissue copper burdens and waterborne-copper tolerance in rainbow trout (*Oncorhynchus mykiss*). *Can. J. Fish. Aquat. Sci.* 50:1683-1689.

Mills, T.J. 1980. Life history, status, and management of the Modoc sucker, *Catostomus microps* (Rutter) in California, with a recommendation for endangered classification. *Inland Fisheries Endangered Species*

Program Special Publication 80-6, November 1980. California Department of Fish and Game, Rancho Cordova, CA. 35 pp.

Minckley, W.L. 1973. Fishes of Arizona. Arizona Game and Fish Department, Phoenix. 293 pp.

Minckley, W.L. 1980. *Cyprinodon macularius* Baird and Girard. Desert pupfish. Page 497 in D.S. Lee, C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr. (Editors). *Atlas of North American freshwater fishes*. North Carolina Museum of Natural History, Raleigh.

Minckley, W.L. 1983. Status of the razorback sucker, *Xyrauchen texanus* (Abbott), in the lower Colorado River Basin. *The Southwestern Naturalist* 28:165-187.

Minckley, W.L. 1985. Memorandum dated 16 April, 1985. Razorback sucker monitoring effort, Arizona reservoirs, March 1985. U.S. Fish and Wildlife Service, Dexter National Fish Hatchery and Technology Center, Dexter, New Mexico.

Minckley, W.L. and J.E. Deacon. 1968. Southwestern fishes and the enigma of "Endangered species." *Science* 159:1424-1432.

Minckley, W.L., P.C. Marsh, J.E. Brooks, J.E. Johnson, and B.L. Jensen. 1991. Management toward recovery of the razorback sucker. pp 303-357 *In* *Battle Against Extinction: Native fish management in the American West*. University of Arizona Press, Tucson.

Moffitt, J. 1941. Notes on the food of the California clapper rail. *Condor* 43:270-273.

Monroe, M.W. and J. Kelly. 1992. State of the estuary: A report on conditions and problems in the San Francisco Bay/Sacramento-San Joaquin Delta Estuary. San Francisco Estuary Project, Oakland, California.

Monson, G. and A. Phillips. 1981. Annotated checklist of the birds of Arizona. The University of Arizona Press, Tucson. 240 pp.

Monson, P.D., D.J. Call, D.A. Cox, K. Liber, and G.T. Ankley. 1999. Photoinduced toxicity of fluoranthene to northern leopard frogs (*Rana pipiens*). *Environmental Toxicology and Chemistry* 18:308-312.

Monteiro L.R., Furness, A.J., del Nevo A.J. 1995. Mercury levels in seabirds from the Azores, Mid-North Atlantic Ocean. *Arch Environ Contam Toxicol*. 28, 304-309.

Moore, M.M. 1980. Factors influencing the survival of juvenile steelhead rainbow trout (*Salmo gairdnerii*) in the Ventura River. M.S. Thesis, Humboldt State Univ., Arcata, CA. 82 pp.

Moore, J.W. and S. Ramamoorthy. 1984. Heavy metals in natural waters: Applied monitoring and impact assessment. Springer-Verlag, New York Inc. 268 pp.

Moore, S.B., J. Winckel, S.J. Detwiler, S.A. Klasring, P.A. Gaul, N.R. Kanim, B.E. Kesser, A.B. DeBevec, K. Beardsley, and L.K. Puckett. 1990. Fish and Wildlife Resources and Agricultural Drainage in the San Joaquin Valley, California. Two Volumes. San Joaquin Valley Drainage Program, Sacramento, CA.

Moore, J.N., Luoma, S.N. and D. Peters. 1991. Downstream effects of mine effluent on an intermontane riparian system. *Canadian Journal of Fisheries and Aquatic Sciences* 48(2):222-232.

Morey, S.R. 1998. Pool duration influences age and body mass at metamorphosis in the western spadefoot toad: implications for vernal pool conservation. pp. 86-91 in: C.W. Witham, E.T. Bauder, D. Belk, W.R. Ferren Jr., and R. Ornduff (Editors). Ecology, Conservation, and Management of Vernal Pool Ecosystems - Proceedings from a 1996 Conference. California Native Plant Society, Sacramento, CA. 1998.

Morey, S.R. and D.A. Guinn. 1992. Activity patterns, food habits, and changing abundance in a community of vernal pool amphibians. pp. 149-157 in: Endangered and Sensitive Species of the San Joaquin Valley, California. D.F. Williams, S. Byrne, T.A. Rado (Editors). California Energy Commission, Sacramento, CA. 1992.

Mount, David R., A.K. Barth, T.D. Garrison, K.A. Barten and J.R. Hockett. 1994. Dietary and waterborne exposure of rainbow trout (*Oncorhynchus mykiss*) to copper, cadmium, lead and zinc using live diet. Environmental Toxicology and Chemistry 13(12):2031-2041.

Moyle, P.B. 1974. Status of the Modoc sucker, *Catostomus microps* (Pisces: Catostomidae). Division of Wildlife and Fisheries, University of California, Davis. 5 pp.

Moyle, P.B., and A. Marciochi. 1975. Biology of the Modoc sucker, *Catostomus microps*, in northeastern California. Copeia (3):556-560.

Moyle, P.B. 1976. Inland fishes of California. University of California Press, Berkeley, 405 pp.

Moyle, P.B., H.W. Li, and B.A. Barton. 1986. The Frankenstein Effect: Impact of Introduced Fishes on Native Fishes in North America. Pages 415-426 in R. H. Stroud editor. Fish Culture in Fisheries Management. American Fisheries Society, Bethesda, MD.

Moyle, P.B. and T. Light. 1986. Fish invasions in California: do abiotic factors determine success? Ecology 77(6):1666-1670.

Moyle, P.B. and J.J. Cech. 1988. Fishes, an introduction to ichthyology. Prentice Hall, Englewood Cliffs, New Jersey.

Moyle, P.B., J. Williams, and E.D. Wikramanayake. 1989. Fish species of special concern in California. Final Report for California Department of Fish and Game. Contract No. 7337.

Moyle, P.B. and W.J. Berg. 1991. Population genetics of Endangered Catostomid Fishes of Northern California. Department of Wildlife and Fisheries Biology. University of California, Davis. Contract: FG-8143.

Moyle, P.B. and R.M. Yoshiyama. 1992. Fishes, aquatic diversity management areas, and endangered species: Plan to protect California's native aquatic biota. The California Policy Seminar, University of California.

Moyle, P.B. and R.M. Yoshiyama. 1992. Fishes, aquatic diversity management areas, and endangered species: A plan to protect California's native aquatic biota. Draft report prepared for California Policy Seminar, University of California, Berkeley, California. July 1992. 196 pp.

Moyle, P.B., B. Herbold, D.E. Stevens, and L.W. Miller. 1992. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. Trans. Am. Fish. Soc. 121:67-77.

Murphy, G.I. and L. Shapovalov. 1951. A preliminary analysis of northern California salmon and steelhead runs. Calif. Fish Game 37(4):497-507.

Myers, K.W., D.E. Rogers, C.K. Harris, C.M. Knudsen, R.V. Walker, and N.D. Davis. 1984. Origins of chinook salmon in the area of the Japanese mothership and landbased driftnet salmon fisheries in 1975-1981. *Fisheries Research Institute*, 204 pp.

Naftz, D.L., and M.M. Jarman. 1998. A classification model that identifies surface waters containing selenium concentrations harmful to waterfowl and fish. Pp. 419-435 in W.T. Frankenberger, Jr., and R.A. Engberg (eds.), Environmental Chemistry of Selenium. Marcel Dekker, New York. 713 p.

Nagler, J.J., P. Aysola, and S.M. Ruby. 1986. Effect of Sublethal Pentachlorophenol on Early Oogenesis in maturing Female Rainbow Trout (*Salmo gairdneri*). *Arch. Environ. Contam. Toxicol.*, 15:549-555.

Nagler, J.J., P. Aysola, and S.M. Ruby. 1986. Effect of Sublethal Pentachlorophenol on Early Oogenesis in maturing Female Rainbow Trout (*Salmo gairdneri*). *Arch. Environ. Contam. Toxicol.*, 15:549-555.

Nehlson, W., J.E. Williams and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16(2):4-21.

Nelson, S.K., and T.E. Hamer. 1995. Nesting biology and behavior of the marbled murrelet. Pages 57-67 in Ralph, C.J.; George L. Hunt, Jr.; Martin G. Raphael; John F. Piatt (Tech. Eds.). 1995. Ecology and conservation of the marbled murrelet. Gen. Tech. Rep. PSW-GRT-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 420 pp.

Nelson, S.K. and R.W. Peck. 1995. Behavior of marbled murrelets at nine nest sites in Oregon. In SK Nelson and SG Sealy (eds.). *Biology of marbled murrelets: inland and at sea -- symposium of the Pacific Seabird Group* 1993. *Northwestern Naturalist* 76:43-53.

Nelsen, E.T., D.F. Springer, and D.R. Yparraguirre. 1984. Population, distribution and ecology of Aleutian Canada geese on their migration to wintering areas, 1983-1984. Humboldt State University, Arcata, CA. Prepared for U.S. Fish and Wildlife Service, Northern Prairie Wildlife Research Center, Jamestown, ND.

New Mexico Water Quality Control Commission, Santa Fe, NM.. 1994. State of New Mexico standards for interstate and intrastate streams. 51 p.

Newton, I, 1979. Population Ecology of Raptors. Buteo Books Ver million, South Dakota.

Nichol, K., L. Sabrina, and C. Boehm. 1991. A distribution survey of desert pupfish (*Cyprinodon macularius*) around the Salton Sea, California. Prepared for California Department of Fish and Game, Inland Fisheries Division.

Nichols, J, Bradbury S, and Swartout J, 1999. Derivation of Wildlife Values for Mercury. *Journal of Toxicology and Environmental Health, Part B*, 2:325-355.

Nichols, F.H., J.E. Cloern, S.N. Luoma, and D.H. Peterson 1986. The modification of an estuary. *Science* 231:567-573.

Niimi, A.J. and C.A. McFadden. 1982. Uptake of Sodium Pentachlorophenate (NaPCP) from Water by Rainbow Trout (*Salmo gairdneri*) Exposed to Concentration in the ng/L Range. *Bull. Environ. Contam. Toxicol.*, 28:11-19.

Norse, E.A. 1988. Sustaining biological diversity and timber production in a changing world. Unpubl. draft report. The Wilderness Society, Washington, D.C. 8 pp.

Noss, R.F. And A.Y. Cooperrider. 1994. Saving Nature's Legacy: Protecting and Restoring Biodiversity. Island Press, Washington, D. C. 416p.

NRC (National Research Council). 1980. Mineral Tolerance of Domestic Animals. Committee on Animal Nutrition, NRC. National Academy of Sciences, Washington, DC.

NRC (National Research Council). 1984. Nutrient Requirements of Poultry. Eighth Revised Edition. Committee on Animal Nutrition, NRC. National Academy of Sciences, Washington, DC.

NRC (National Research Council). 1989. Irrigation-Induced Water Quality Problems: What Can Be Learned From the San Joaquin Valley Experience. Committee on Irrigation-Induced Water Quality Problems, Water Science and Technology Board, Commission on Physical Sciences, Mathematics, and Resources, NRC. National Academy Press, Washington, DC.

Nuutinen, S., and J.V.K. Kukkonen. 1998. The effect of selenium and organic material in lake sediments on the bioaccumulation of methylmercury by *Lumbriculus variegatus* (Oligochaeta). Biogeochemistry, 40:267-278.

O'Connor, DJ, Nielsen SW 1981. Environmental survey of methylmercury levels in wild mink (*Mus talpoides*) and otter (*Lutra canadensis*) from the northeastern United States and experimental pathology of methylmercurialism in the otter. Proceedings, Worldwide Furbearer conference, Frostburg, MD, USA August 3-11, pp 1728-1745.

Ohlendorf, H.M. 1996. Selenium. Pp. 128-140 in: A. Fairbrother, L.N. Locke, and G.L. Hoff (eds.), Noninfectious Diseases of Wildlife. Second Edition, Iowa State University Press, Ames, IA.

Ohlendorf, H.M., J.P. Skorupa, M.K. Saiki, and D.A. Barnum. 1993. Food-chain transfer of trace elements to wildlife. Pp. 596-603 In: R.G. Allen and C.M.U. Neale (eds.), Management of Irrigation and Drainage Systems: Integrated Perspectives. Proceedings of the 1993 National Conference on Irrigation and Drainage Engineering. Park City, Utah, July 21-23, 1993. American Society of Civil Engineers, New York, NY.

Oldfield, J.E. 1990. Selenium: its uses in agriculture, nutrition and health, and environment. Special Publication. Selenium-Tellurium Development Association, Inc., Darien, CT.

Oldfield, J.E. 1994. Impacts of agricultural uses of selenium on the environment. Pp. 81-84 in: Proceedings of the Fifth International Symposium on Uses of Selenium and Tellurium. Selenium-Tellurium Development Association, Darien, CT.

Olendorff, R.R., and R.N. Lehman. 1986. Raptor collisions with utility lines: an analysis using subjective field observations. Pacific Gas and Electric Co., San Ramon, CA. 86 pp.

Oregon Department of Fish and Wildlife. 1994. Final Draft. Oregon conservation program for the western snowy plover (*Charadrius alexandrinus nivosus*). Portland, Oregon. 56 pp. Orloff, S., F. Hall, and L. Spiegel. 1986. Distribution and habitat requirements of the San Joaquin kit fox in the northern extreme of their range. Transactions: Western Section of the Wildlife Society, 22:60-70.

Osmundson, D.B., and L.R. Kaeding. 1989. Studies of Colorado squawfish and razorback sucker use of the "15-mile reach" of the Upper Colorado River as part of conservation measures for the Green Mountain and Ruedi Reservoir water sales. Final Report, U.S. Fish and Wildlife Service, Region 6. Grand Junction, Colorado. 81 pp.

Page, G.W. and L.E. Stenzel, (eds.). 1981. The breeding status of the snowy plover in California. Western Birds 12(1):1-40.

Page, G.W., F.C. Bidstrup, R.J. Ramer, and L.E. Stenzel. 1986. Distribution of wintering snowy plovers in California and adjacent states. *Western Birds* 17(4):145-170.

Page, G.W., L.E. Stenzel, W.D. Shuford, and C.R. Bruce. 1991. Distribution and abundance of the snowy plover on its western North American breeding grounds. *J. Field Ornithol.* 62(2):245-255.

Page, G.W., J.S. Warriner, J.C. Warriner, and P.W.C. Paton. 1995. Snowy Plover (*Charadrius alexandrinus*). In *The Birds of North America*, No. 154 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The Ornithologists' Union, Washington, D.C.

Page, L. And B. Burr. 1991. A field guide to freshwater fishes. North America, north of Mexico. Peterson field guide series.

Pagekopf, Gordon K. 1983. Gill surface interaction model for trace-metal toxicity to fishes: Role of complexation, pH, and water hardness. *Environmental Science and Technology* 17(6):342-347.

Palmer, R.S. 1988. *Handbook of North American birds*, Vol. 4, part 1: diurnal raptors. Smithsonian Institution. Yale University Press. New Haven, Connecticut.

Pascoe, D. and P. Cram, 1977. The effect of parasitism on the toxicity of cadmium to the three-spined stickleback, *Gasterosteus aculeatus* L.J. *Fish biol.* 10, 467-472.

Pascoe, D. and D.L. Matthey, 1977. Studies on the toxicity of cadmium to the three-spined stickleback, *Gasterosteus aculeatus* L.J. *Fish Biol.* 11, 207-215.

Papoulias, D. 1988. Survival and growth of larval razorback sucker, *Xyrauchen texanus*. Master's thesis. Arizona State University, Tempe.

Paton, P.W. and C.J. Ralph. 1988. Geographic distribution of the marbled murrelet in California at inland sites during the 1988 breeding season. California Dept. of Fish and Game, Sacramento, CA. 35 pp.

Paulsson, K., and K. Lundberg. 1991. Treatment of mercury contaminated fish by selenium addition. *Water Air Soil Pollut.* 56:833-841.

Paulsson, K., and K. Lundberg. 1994. Selenium treatment of mercury-contaminated water systems. Pp. 287-290 in: *Proceedings of the Fifth International Symposium on Uses of Selenium and Tellurium*. Selenium-Tellurium Development Association, Inc., Darien, CT.

Paveglio, F.L., and S.D. Clifton. 1988. *Selenium Accumulation and Ecology of the San Joaquin Kit Fox in the Kesterson National Wildlife Refuge Area*. Prepared for U.S. Bureau of Reclamation, Sacramento, CA, 41 pp. and 9 figures and 10 tables appended.

Pease, W., K. Taylor, J. Lacy, and M. Carlin. 1992. Derivation of site-specific water quality criteria for selenium in San Francisco Bay. Staff Report, California Regional Water Quality Control Board - San Francisco Bay Region, Oakland, CA. 37 p.

Pechmann, J., D.E. Scott, J.W. Gibbons and R.D. Semlitsch. 1989. Influence of wetland hydroperiod on diversity and abundance of metamorphosing juvenile amphibians. *Wetlands Ecology and Management* 1:3-11.

Pennak, R.W. 1989. *Fresh-water invertebrates of the United States: Protozoa and mollusca*. 3rd Ed. 628 pp.

- Perkins, D. 1997. Spawning migration and status of adult Lost River and shortnose suckers in Upper Klamath Lake, February-May 1997. Biological Research Division, U.S. Geological Survey, Reno Field Station Study Bulletin 97-1. 20 pp.
- Peterson, R.T. and E. Chalif. 1973. A field guide to Mexican birds. Houghton Mifflin Company, Boston, Massachusetts. 432 pp.
- Petersen, J.A. and A.V. Nebeker. 1992. Estimation of waterborne selenium concentrations that are toxicity thresholds for wildlife. Archives of Environmental Contamination and Toxicology, 23:154-162.
- Phillips, A.R. 1948. Geographic variation in *Empidonax traillii*. *The Auk* 65:507-514.
- Phillips, G.R. 1978. Metal bioaccumulation in fishes and aquatic invertebrates. U.S. Environmental Protection Agency, Report 600/3-78-103, Duluth, Minnesota.
- Pimm, S.L. 1991. The balance of nature: ecological issues in the conservation of species and communities. The University of Chicago Press, Chicago. 434p.
- Piper, D.Z., and M.D. Medrano. 1994. Geochemistry of the Phosphoria Formation at Montpelier Canyon, Idaho: Environment of deposition. The Phosphoria Formation: Its Geochemical and Biological Environment of Deposition. U.S. Geological Survey Bulletin 2023. U.S. Government Printing Office: 1994-583-048/10005.
- Playle, R.C. and D.G. Dixon. 1993. Copper and cadmium binding to fish gills: modification by dissolved organic carbon and synthetic ligands. Canadian Journal of Fisheries and Aquatic Sciences 50:2667-2677.
- Playle, R.C. and C.M. Wood. 1989. Water chemistry changes in the gill micro-environment of rainbow trout: experimental observations and theory. Journal of Comparative Physiology B 159:527-537.
- Playle, R.C., R.W. Gensemer, and D.G. Dixon. 1992. Copper accumulation on gills of fathead minnows: influence of water hardness, complexation and pH of the gill microenvironment. Environmental Toxicology and Chemistry 11:381-391.
- Playle, R.C., D.G. Dixon and K. Burnison. 1993a. Copper and cadmium binding to fish gills: estimates of metal-gill stability constants and modeling of metal accumulation. Canadian Journal of Fisheries and Aquatic Sciences 50:2678-2687.
- Playle, R.C., D.G. Dixon and K. Burnison. 1993b. Copper and cadmium binding to fish gills: modification by dissolved organic carbon and synthetic ligands. Canadian Journal of Fisheries and Aquatic Sciences 50:2667-2677.
- Playle, R.C. 1998. Modeling metal interactions at fish gills. Science of the Total Environment 219:147-163.
- Porcella, D.B., J.W. Huckabee, and B. Wheatley (eds). 1995. Mercury as a Global Pollutant: Proceedings of the Third International Conference held in Whistler, BC, July 10-14, 1994. Kluwer Academic Publishers, Boston. 1336 pp.
- Porter, K.R. 1972. Herpetology. W.B. Saunders Co., Philadelphia. 524 p.
- Presser, T.S. 1994. "The Kesterson Effect." Environmental Management, 18(3):437-454.
- Presser, T.S. and H.M. Ohlendorf. 1987. Biogeochemical cycling of selenium in the San Joaquin Valley, California, USA. Environmental Management, 11:805-821.

Presser, T.S. and D.Z. Piper. 1998. Mass balance approach to selenium cycling through the San Joaquin Valley: From source to river to bay. Pp. 153-182 in W.T. Frankenberger, Jr., and R.A. Engberg (eds.), Environmental Chemistry of Selenium. Marcel Dekker, New York. 713 p.

Presser, T.S., M.A. Sylvester, and W.H. Low. 1994. Bioaccumulation of selenium from natural geologic sources in western states and its potential consequences. *Environmental Management*, 18:423-436.

Pritchard, A.L. 1940. Studies on the age of the coho salmon (*Oncorhynchus kisutch*) and the spring salmon (*Oncorhynchus tshawytscha*) in British Columbia. *Trans. R. Soc. Can., Serv. 3*, 34(V):99-120.

Quinlan, S.E., and J.H. Hughes. 1990. Location and description of a marbled murrelet tree nest site in Alaska. *Condor* 92:1068-1073.

Quinn, T.P. 1993. A review of homing and straying of wild and hatchery-produced salmon. *Fish. Res.* 18:29-44.

Quinn, T.P., and K. Fresh. 1984. Homing and straying in chinook salmon (*Oncorhynchus tshawytscha*) from Cowlitz River Hatchery, Washington. *Can. J. Fish. Aquat. Sci.* 41:1078-1082.

Race, M.S., and M.S. Fonseca. 1996. Fixing compensatory mitigation : what will it take? *Ecological Applications* 6(1): 94-101.

Radtke, L.D. 1966. Distribution of smelt, juvenile sturgeon, and starry flounder in the Sacramento-San Joaquin Delta. Pp. 115 - 119 in J.L. Turner and D.W. Kelley, eds.: *Ecological studies of the Sacramento-San Joaquin estuary, Part 2*. California Department of Fish and Game Fish Bulletin No. 136.

Rainbow, Philip S. and Reinhard Dallinger. 1993. Metal uptake, regulation, and excretion in freshwater invertebrates. Pages 119-131 in Reinhard Dallinger and Philip S. Rainbow, editors. *Ecotoxicology of metals in invertebrates*. Lewis Publishers, Boca Raton, Florida.

Ralph, C.J. and S.L. Miller. 1995. Offshore population estimates of marbled murrelets in California. In: Ralph, C.J.; George L. Hunt, Jr.; Martin G. Raphael; John F. Piatt (Tech. Eds.). 1995. *Ecology and conservation of the marbled murrelet*. Gen. Tech. Rep. PSW-GRT-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 420 pp.

Ralph, C.J.; George L. Hunt, Jr.; Martin G. Raphael; John F. Piatt (Tech. Eds.). 1995. *Ecology and conservation of the marbled murrelet*. Gen. Tech. Rep. PSW-GRT-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. 420 pp.

Rao, J.I., and M.N. Madhyastha. 1987. Toxicities of some heavy metals to the tadpoles of frog *Microhyla ornata* (Dumeril & Bibron). *Toxicol. Lett.* 36:205-208.

Rathbun, G.B., K.W. Worcester, D. Holland, and J. Martin. 1991. Status of declining aquatic reptiles, amphibians, and fishes in the lower Santa Rosa Creek, Cambria, CA. 21 pp.

Rea, A. 1983. *Once a River: Bird Life and Habitat Changes on the Middle Gila*. University of Arizona Press, Tucson.

Reaser, J.K. 1996. The elucidation of amphibian declines. *Amphibian & Reptile Conservation* 1:4-9.

Rectenwald, H. 1989. CDFG memorandum to Dick Daniel, Environmental Services Division, concerning the status of the winter-run chinook salmon prior to the construction of Shasta Dam. August 16, 1989. 2 pp.+ appendices.

- Reed, R.J. 1979. Population study of the Santa Cruz long-toed salamander (*Ambystoma macrodactylum croceum*) at Valencia Lagoon 1977-78, with notes on habitat and occurrence in Santa Cruz and Monterey counties. Final report to the California Department of Fish and Game, Sacramento, CA, under contract (S-1180). vi+115 pp.
- Reed, R.J. 1981. Reproductive ecology and migratory activity of *Ambystoma macrodactylum croceum*. Unpublished M.S. Thesis, University of California, Davis. vi+78 pp.
- Reeder, W.G. 1951. Stomach analysis of a group of shorebirds. *Condor* 53:43-45.
- Reid, S.D. and D.G. McDonald. 1988. Effects of cadmium, copper, and low pH on ion fluxes in the rainbow trout, *Salmo gairdneri*. *Canadian Journal of Fisheries and Aquatic Sciences* 45:244-253.
- Reiser, D.W., T.C. Bjornn. 1979. Habitat requirements of anadromous salmonids. In: *Influence of Forest and Rangeland Management on Anadromous Fish Habitat in the Western United States and Canada*. W.R. Meehan, editor. U.S. Department of Agriculture Forest Service General Technical Report PNW-96.
- Renner, R. 1997. Rethinking water quality standards for metal toxicity. *Environmental Science and Technology/News* 31(10):466A-468A.
- Rice D.C., Krewski D., Collins B.T., Willes R.F. 1989. Pharmacokinetics of methylmercury in the blood of monkeys Macaca fascicularis. *Fundam Appl Toxicol* 12:23-33.
- Rich, W.H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento Rivers. *U.S. Bur. Fish., Bull.* 37:74.
- Rich, W.H., and H.B. Holmes. 1928. Experiments in marking young chinook salmon on the Columbia River 1916 to 1927. *U.S. Bur. Fish., Bull* 44:215-264.
- Ridgely, R.S. 1981. *A Guide to the Birds of Panama*. Princeton University Press, Princeton, New Jersey. 404 pp.
- Ridgely, R.S. and G. Tudor. 1994. *The Birds of South America: Suboscine Passerines*. University of Texas Press, Austin, Texas. xxx pp.
- Rivers, C.M. 1963. *Rogue River Fisheries, Volume I: History and development of the Rogue River Basin as related to its fishery prior to 1941*. Unpubl. Manuscr., 264 p. Oregon State Game Comm., Portland. (Available Environmental and Technical Services Division, Natl. Mar. Fish. Serv., 525 N.E. Oregon Street, Portland, OR 97232.)
- Roberts, C.A. 1996. Trace Element and Organochlorine Contamination in Prey and Habitat of the Yuma Clapper Rail in the Imperial Valley, California. A report to the Division of Environmental Contaminants, U.S. Fish and Wildlife Service, Portland Oregon. 20 pp.
- Roelofs, T.D. 1983. Current status of California summer steelhead (*Salmo gairdneri*) stocks and habitat, and recommendations for their management. Submitted to USDA Forest Service, Region 4, 77 p. (Available Environmental and Technical Services Division, Natl. Mar. Fish. Serv., 525 N.E. Oregon Street, Portland, OR 97232.)
- Romer, A.S. 1966. *Vertebrate Paleontology*, 3rd ed. University of Chicago Press, Chicago. 468 p.
- Rossman, D.A., N.B. Ford, and R.A. Seigel. 1996. *The garter snakes: evolution and ecology*. University of Oklahoma Press, Norman and London.

Rossmann, D.A. and G.R. Stewart. 1987. Taxonomic reevaluation of *Thamnophis couchii*. Occasional Papers of the Museum of Zoology, Louisiana State University, No. 63, 23 pp.

Roux, D.J., S.H.J. Jooste, and H.M. MacKay. Substance-specific water quality criteria for the protection of South African freshwater ecosystems: methods for derivation and initial results for some inorganic toxic substances. *S. Afr. J. Sci.*, 92:198-206.

Ruelle, R. 1993. Contaminant evaluation of interior least tern and piping plover eggs from the Missouri River in South Dakota. Pp. 159-171 in: K.F. Higgins and M.R. Brashier (eds.), Proceedings, The Missouri River and its Tributaries: Piping Plover and Least Tern Symposium. South Dakota State University, Brookings, SD. 205 p.

Ruelle, R., and K.D. Keenlyne. 1993. Contaminants in Missouri River pallid sturgeon. *Bull. Environ. Contam. Toxicol.*, 50:898-906.

Rusk, M.K. 1991. Selenium Risk to Yuma Clapper Rails and Other Marsh Birds of the Lower Colorado River. Masters Thesis presented to the School of Renewable Natural Resources, University of Arizona.

Russell, R.W., and J.D. Anderson. 1956. A disjunct population of the long-nosed [sic.] salamander from the coast of California. *Herpetologica*, 12(2):137-140.

Russell, A.P., G.L. Powell, and D.R. Hall. 1995. Growth and age in Alberta long-toed salamanders (*Ambystoma macrodactylum krausei*): A comparison of two methods of estimation [abstract]. Program and abstracts of the 75th Annual Meeting of the American Society of Ichthyologists and Herpetologists, the 11th Annual Meeting of the American Elasmobranch Society, and the 43rd Annual Meeting of the Herpetologists' League, held at the University of Alberta, Edmonton, Alberta, Canada.

Ruth, S.B. 1988. Seaside Uplands Santa Cruz long-toed salamander study. Final report prepared for the Seaside Land Company by Stephen B. Ruth, Science Research and Consulting Services, Marina, CA. vi+159 pp.+appendices.

Ruth, S.B., and Tollestrup. 1973. Aspects of the life history and current status of the Santa Cruz long-toed salamander (*Ambystoma macrodactylum croceum*) at Valencia Lagoon, Santa Cruz County, California. Unpublished Student Report, Museum of Vertebrate Zoology, University of California, Berkeley, CA. 40 pp.

Rutter, C. 1904. Natural history of the quinnat salmon. Investigation on Sacramento River, 1896-1901. *Bull. U.S. Fish Comm.* 22:65-141.

Rutter, C. 1908. The fishes of the Sacramento-San Joaquin basin, with a study of their distribution and variation. *Bulletin of U.S. Bureau of Fisheries*, 27(637):103-152.

Saiki, M.K. 1990. Elemental concentrations in fishes from the Salton Sea, southeastern California. *Water Air Soil Pollut.*, 52:41-56.

Saiki, M.K., and D.U. Palawski. 1990. Selenium and other elements in juvenile striped bass from the San Joaquin Valley and San Francisco Estuary, California. *Arch. Environ. Contam. Toxicol.*, 19:717-730.

Saiki, M.K., D.T. Castleberry, T.W. May, B.A. Martin and F.N. Bullard. 1995. Copper, cadmium, and zinc concentrations in aquatic food chains from the upper Sacramento River (California) and selected tributaries. *Archives of Environmental Contamination and Toxicology* 29:484-491.

Salmon, T.P., and R.H. Schmidt. 1984. An introductory overview to California ground squirrel control. Pp. 32-37 in: D. O. Clark, editor. Proceedings Eleventh Vertebrate Pest Conference, March 6-8, 1984, Sacramento, California.

Sample, B.E., D.M. Opresco, and G.W. Suter II. 1996. Toxicological Benchmarks for Wildlife: 1996 Revision. Risk Assessment Program, Health Sciences Research Division, Oak Ridge, TN.

Sandercock, F.K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). In C. Groot and L. Margolis (editors), Pacific Salmon Life Histories, p. 396-445. Univ. British Columbia Press, Vancouver.

Santa Barbara County Planning and Development. 1998. California tiger salamander (*Ambystoma californiense*) in Santa Barbara County, California: an interim report, December 7 1998. 4 pp.

Sappington, K. 1998. Status of selenium criteria review efforts. Memo dated January 16, 1998. United States Environmental Protection Agency, Office of Water, Office of Science and Technology, Health and Ecological Criteria Division, Washington, D.C. 3 p.

Saunders, D.A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: a review. *Conservation Biology* 5(1):18-32.

Schamber, R.A., E.L. Belden, and M.F. Raisbeck. 1995. Immunotoxicity of chronic selenium exposure. Pp. 384-393 in G.E. Schuman, and G.F. Vance, (eds.), Decades Later: A Time For Reassessment. Proceedings of the 12th Annual National Meeting, American Society of Surface Mining and Reclamation, Princeton, WV.

Scheuhammer A.M. 1987. The chronic toxicity of mercury, cadmium, and lead in birds: a review. *Environ. Pollut.*, 46, 263-95.

Scheuhammer A.M., 1991. Effects of acidification on the availability of toxic metals and calcium to wild birds and mammals. *Env. Pollut.* 71:329-375.

Schmieder, R.R., and R.S. Nauman. 1993. Effects of non-native aquatic predators on premetamorphic California red-legged frogs (*Rana aurora draytonii*). Unpublished manuscript. 12 pp.

Schoenherr, A.A. 1981. The role of competition in the replacement of native fishes by introduced species. Pages 173-203 in R.J. Naiman and D.L. Soltz (editors), *Fishes in North American Deserts*. John Wiley & Sons, Incorporated, New York.

Schoenherr, A.A. 1988. A review of the life history and status of the desert pupfish, *Cyprinodon macularius*. *Bulletin of the Southern California Academy of Science* 87: 104-134.

Schubauer-Berigan, M.K. and G.T. Ankley 1991. The contribution of ammonia, metals and non-polar organic compounds to the toxicity of sediment interstitial water from an Illinois River tributary. *Environmental Toxicology and Chemistry* 10:925-939.

Schubauer-Berigan, M.K., Amato, J.R. Ankley, G.T., Baker, S.E., Burkhard, L.P., Dierkes, J.R., Jenson, J.J., Lukasewycz, M.T. and T.J. Norberg-King. 1993. The behavior and identification of toxic metals in complex mixtures: examples from effluent and sediment pore water toxicity identification evaluations. *Archives of Environmental Contamination and Toxicology* 24:298-306.

Schwarzbach, S. 1993. Mercury in California Clapper Rail Eggs, Invertebrate prey and sediments from tidal wetlands in south San Francisco Bay. Platform presentation, SETAC 14th annual mtg., Nov. 14-18, 1993, Houston Texas.

Schwarzbach, S.E. 1994. Hard science: fail to hatch. *Estuary*, 3(3):4. Newsletter of the San Francisco Estuary Project, Oakland, CA.

Schwarzbach, S., J.D Henders on, and J.S. Alberts on. 1996. Assessing risk from methyl mercury in tidal marsh sediments to reproduction of California clapper rails (*Rallus longirostris obsoletus*) using threshold diet and egg/sediment ratio approaches. Poster for Society of Environmental Toxicology and Chemistry, November 1996, Washington, D.C.

Schwarzbach, S., R. Hothem, and H. Ohlendorf. 1997. Mercury in avian eggs from San Francisco Bay: A review and comparison with California cohorts outside the Bay. Poster for Society of Environmental Toxicology and Chemistry, November 1997, San Francisco, CA.

Scoppettone, G.G. 1988. Growth and Longevity of the Cui-ui and Longevity of Other Catostomids and Cyprinids in Western North America. *Transactions of the American Fisheries Society* 117:301-307.

Scoppettone, G.G., J.E. Harvey, S.P. Shea, B. Nielsen, and P.H. Rissler, 1994. Ichthyofaunal survey and habitat monitoring of streams inhabited by the Modoc sucker. *Catostomus microps*. National biological Survey, Reno, NV. 51 pp.

Sealy, S.G., and H.R. Carter. 1984. At-sea distribution and nesting habitat of the marbled murrelet in British Columbia: problems in the conservation of a solitary nesting sea-bird. Pages 737-756 in J.P. Croxall, P.G.H. Evans, and R.W. Schreiber (eds). Status and conservation of the world's seabirds. International Council for Bird Preservation Tech. Publ. No.2.

See, R.B., D.L. Naftz, D.A. Peterson, J.G. Crock, J.S. Erdman, R.C. Severson, P. Ramirez, Jr., and J.A. Armstrong. 1992. Detailed study of selenium in soil, representative plants, water, bottom sediment, and biota in the Kendrick Reclamation Project Area, Wyoming, 1988-90. U.S. Geological Survey Water-Resources Inv. Rept. 4131.

Seiler, R.L. 1997. Methods to identify areas susceptible to irrigation-induced selenium contamination in the western United States. U.S. Geological Survey Fact Sheet FS-038-97, Carson City, NV.

Seiler, R.L., J.P. Skorupa, D.L. Naftz, and B. T. Nolan. IN PRESS. Irrigation-induced Contamination of Water, Sediment, and Biota in the Western United States: Synthesis of Data from the National Irrigation Water Quality Program. Professional Paper xxxx. U.S. Geological Survey. Reston, VA

Seiler, R.L., and J.P. Skorupa. In Press. Water quality constraints on irrigated agriculture. U.S. Department of Interior investigations of irrigation-induced contamination of water, sediment, and biota. Fact Sheet No. FS-000-97. U.S. Geological Survey, Carson City, NV.

Seiler, R.L., and J.P. Skorupa. 1995. Identification of areas at risk for selenium contamination in the western United States. Pp. LL85-L94 in: W.R. Hotchkiss, J.S. Downey, E.D. Gutentag, and J.E. Moore (eds.), Water Resources at Risk. American Institute of Hydrology, Minneapolis, MN.

Semlitsch, R.D. and J.R. Brodie. 1998. Are small isolated wetlands expendable? *Conservation Biology* 12(5): 1129-1133.

Semlitsch, R.D., D.E. Scott, and J.H.K. Pechmann. 1988. Time and size at metamorphosis related to adult fitness in *Ambystoma talpoideum*. *Ecology* 69:184-192.

Serpa, L. 1986. Element stewardship abstract - *Syncaris pacifica*. Unpublished document developed for The Nature Conservancy. 11 pp. + appendices.

Serpa, L. 1991. Tomales a sellid contract survey p rogress report for the U.S. Fish and Wildlife Service. Fish and Wildlife Enhancement, Sacramento Field Office. 17 pp.

Sessions, S. K., and S. B. Ruth. 1990. Explanation for naturally occurring supernumerary limbs in amphibians. *The Journal of Experimental Zoology*, 254(1):38-47.

Setmire, J.G., and R.A. Schroeder. 1998. Selenium and salinity concerns in the Salton Sea area of California. Pp. 205-221 in: W.T. Frankenberger, Jr., and R.A. Engberg (eds.), *Environmental Chemistry of Selenium*. Marcel Dekker, Inc., New York, NY.

Setmire, J.G., J.C. Wolfe, and R.K. Stroud. 1990. Reconnaissance investigation of water quality, bottom sediment, and biota associated with irrigation drainage in the Salton Sea Area, California, 1986-87. Water-Resources Investigations Report 89-4102. U.S. Geological Survey, Sacramento CA.

Setmire, J.G., R.A. Schroeder, and J.N. Den smore. 1993. Detailed study of water quality, bottom sediment, and biota associated with irrigation drainage in the Salton Sea Area, California, 1988-90. Water-Resources Investigations Report 93-4014. U.S. Geological Survey, Sacramento, CA.

Seymour, R., and M. Westphal. 1994. Final Report - Status and habitat correlates of California tiger salamanders in the eastern San Joaquin Valley: Results of the 1994 survey. Prepared by Coyote Creek Riparian Station for U.S. Fish and Wildlife Service, Sacramento Office. 33 pp.

Seymour, R., and M. Westphal. 1995. Final report on 1995 surveys for California tiger salamanders, *Ambystoma californiense*. Prepared by Coyote Creek Riparian Station for Sacramento Fish and Wildlife Office. 20 pp.

SFEI (San Francisco Estuary Institute). 1997a. 1995 Annual Report: San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute, Richmond, CA. 324 pp.

SFEI (San Francisco Estuary Institute). 1997b. 1996 Annual Report: San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute, Richmond, CA. 299+ pp.

SFEI ( San Francisco Estuary Institute). 1999. 1997 Annual Report: San Francisco Estuary Regional Monitoring Program fro Trace Substances. San Francis co Estuary In stitute, Rich mond , CA.. 376 pp.

SFRWQCB (San Fransis co Regional Water Quality Control Board). June 1995. Contaminant levels in fish tissue from San Francisco Bay, Final report. San Fransisco Regional Water Quality Control Board, State Water Resources Control Board, California Department of Fish and Game. 135 pp.

Shacklette and Boerngen,1984. Element Concentrations in Soils and Other Surficial Materials of the Conterminous United States, U.S. Geological Survey profes sional Paper 1270.

Shaffer, H.B. and M.L. McKnight. 1996. The polytypic species revisited: genetic differentiation and molecular phylogenetics of the tiger salamander *Ambystoma tigrinum* (Ampibia: Caudata) complex. *Evolution*, 50(1):417-433.

Schaffer, H.B., R.N. Fisher, and S.E. Stanley. 1993. Status report: the California tiger salamander (*Ambystoma californiense*). Final report for the California Department of Fish and Game. 36 pp. plus figures and tables.

Shaffer, H.B. and S.E. Stanley. 1991. Final report to California Department of Fish and Game; California tiger salamander surveys, 1991. Unpublished report. 11 pp. plus figure, tables and appendix.

- Schaffer, H.B., R.N. Fisher, and S.E. Stanley. 1993. Status report: the California tiger salamander (*Ambystoma californiense*). Final report for the California Department of Fish and Game. 36 pp. plus figures and tables.
- Shapovalov, L. and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. Calif. Dep. Fish Game, Fish Bull. 98, 375 p.
- Shimai, S., H. Satoh. 1985. Behavioral teratology of methylmercury. J. Toxicol. Sci. 10:199-216.
- Shoop, C.R. 1960. The breeding habits of the mole salamander *Ambystoma talpoideum* (Holbrook), in southeastern Louisiana. Tulane Studies in Botany and Zoology, 8(3):65-82.
- Shurin, Jonathan B. and S.I. Dodson. 1997. Sublethal toxic effects of cyanobacteria and nonylphenol on environmental sex determination and development in *Daphnia*. Environmental Toxicology and Chemistry, Vol. 16, No. 6, pp. 1269-1276.
- Sigler, W.F., and R.R. Miller. 1963. Fishes of Utah. Utah Department of Fish and Game, Salt Lake City. 203 pp.
- Simons, TR. 1980. Discovery of a ground-nesting marbled murrelet. Condor 82:1-9.
- Simovich, M., R. Brusca, and J. King. 1992. Invertebrate survey 1991-1993 PGT-PGE/Bechtel pipeline expansion project. University of San Diego, Alcala Park, San Diego, California.
- Simovich, M.A. and M. Fugate. 1992. Branchiopod diversity in San Diego County, California. 1992 Transactions of the Western Section of the Wildlife Society 28:6-14.
- Simovich, M. and S. Hathaway. Undated. Reproductive strategies of an ostracans in unpredictable environments. Biology Department, University of San Diego, San Diego, California.
- Singer, S.W., N.L. Nasland, S.A. Singer, and C.J. Ralph. 1991. Discovery and conservation of two tree nests of the marbled murrelet. Condor 93:330-339.
- Singer, S.W., D.L. Suddjian, and S.A. Singer. 1992. Discovery, observations, and fledgling of a marbled murrelet from a redwood tree nest. A report to the Santa Cruz City Museum of Natural History, Santa Cruz, California. Unpubl. document.
- Skinner, J.E. 1972. Ecological studies of the Sacramento-San Joaquin Estuary. CDFG, Delta Fish and Wildlife Protection Study, Report No. 8. June 1972. 94 pp.
- Skorup a, J.P. 1996. Avian selenosis in nature: a phylogenetic surprise and its implications for ecological risk assessment. Extended abstract prepared as a handout for a poster presentation at the 17th annual meeting of the Society for Environmental Toxicology and Chemistry (SETAC), November 17-21, 1996, Washington, D.C. Typed, 7 p. + 5 figures.
- Skorup a, J.P. 1998. Selenium poisoning of fish and wildlife in nature: Lessons from twelve real-world examples. Pp. 315-354 in: W.T. Frankenberger and R.A. Engberg (eds.), Environmental Chemistry of Selenium. Marcel Dekker, New York, NY.
- Skorup a, J.P., S.P. Morman, and J.S. Sefchick-Edwards. 1996. Guidelines for interpreting selenium exposures of biota associated with nonmarine aquatic habitats. Report to U.S. Department of Interior, National Irrigation Water Quality Program. U.S. Fish and Wildlife Service, Division of Environmental Contaminants, Sacramento, CA. 74 p.

Slater, D.W. 1963. Winter-run chinook salmon in the Sacramento River, California, with notes on water temperature requirements at spawning. USFWS Special Scientific Rpt. Fisheries No. 461. 9 p.

Small, A. 1994. California birds : their status and distribution. Ibis Publishing Company, Vista, California.

Smith, A.K. 1973. Development and application of spawning velocity and depth criteria for Oregon salmonids. Trans. Amer. Fish. Soc. 102(2):312-316.

Smith-Gill, S.J., and K.A. Berven. 1979. Predicting amphibian metamorphosis. The American Naturalist, 113(4):563-585.

Smock, Leonard A. 1983a. Relationships between metal concentration and organism size in aquatic insects. Freshwater Biology 13:313-321.

Smock, Leonard A. 1983b. The influence of feeding habits on whole-body metal concentrations in aquatic insects. Freshwater Biology 13:301-311.

Snell, Terry W. and M.J. Carmona. 1995. Comparative toxicant sensitivity of sexual and asexual reproduction in the rotifer *Brachionus calyciflorus*. Environmental Toxicology and Chemistry, Vol. 14, No. 3, pp. 415-420.

Snider, W.M. 1983. Reconnaissance of the steelhead resource of the Carmel River drainage, Monterey County. Calif. Dep. Fish Game, Environmental Services Branch Admin. Rep. 83-3., 41 p. (Available from California Department of Fish and Game, Inland Fisheries Division, 1416 Ninth Street, Sacramento, CA 95814.)

Snider, A.T., and J.K. Bowler. 1992. Longevity of reptiles and amphibians in North American collections (second edition). Society For the Study of Amphibians and Reptiles, Herpetological Circular (21):ii+40 pp.

Snow, C. 1973. Habitat management series for endangered species Report No. 5: southern bald eagle and northern bald eagle. U.S. Bureau of Land Management Technical Report No. 171. Available from Documents Section, Federal Center Building 50, Denver, Colorado.

Snyder, J.O. 1908. Description of *Pantosteus santa-anae*, a new species of fish from the Santa Ana River, California. Proceedings of United States National Museum. 59: 23-28.

Sorensen, E.M.B. 1991. Metal Poisoning in Fish. CRC Press, Boca Raton, FL.

Sowls, A.L., A.R. Degange, J.W. Nelson, and G.S. Lester. 1980. Catalog of California seabird colonies. U.S. Dept. Inter., Fish and Wildlife Service, Biological Services Program. F'S/OBS 37/80. 371 pp.

Spalding, M.G., R.B. Bjork, G. Powell, S.F. Sundlof, 1994. Mercury and cause of death in great white herons. J. Wildl. Manage 58(4):735-739.

Sparling, D.W. 1998. Field evidence for linking Altosid® applications with increased amphibian deformities in southern leopard frogs. Abstract, Midwest Declining Amphibians Conference, March 20-21. Joint meeting of Great Lakes and Central Division working groups of the Declining Amphibian Populations Task Force.

Sparling, D. W. and P. T. Lowe. 1998. Chemicals used to control mosquitoes on refuges differ in toxicity to tadpoles. Patuxent Wildlife Research Center, U.S. Geological Survey, Biological Resources. <http://www.pwrc.nbs.gov/tadnew.htm> (4/29/98).

**Spehar, Robert L. and J.T. Fandt.** 1986. Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. *Environmental Toxicology and Chemistry*, Vol. 5, pp. 917-931.

**Springer, P.F.** 1977. Reestablishing Aleutian Canada geese. Pages 339-344 in Temple, S.A., ed. *Endangered Birds*. Univ. of Wisconsin Press, Madison, WI.

**Spry, D.J., P.V. Hodson and C.M. Wood.** 1988. Relative contributions of dietary and waterborne zinc in the rainbow trout, *Salmo gairdneri*. *Can. J. Fish. Aquat. Sci.* 45:32-41.

**Stadtman, T.C.** 1979. Some selenium-dependent biochemical processes. *Adv. Enzymol. Relat. Areas Mol. Biol.*, 48:1-28.

**Stalmaster, M.V.** 1976. Winter ecology and effects of human activity on bald eagles in the Nooksack River Valley, Washington. M.S. Thesis. West Washington State Coll., Bellingham, WA. 100 pp.

**Stebbins, R. C.** 1962. Amphibians of the western United States. Ambystomids. Pp. 29-49 and plates.

**Stebbins, R.C.** 1985. A Field Guide to Western Reptiles and Amphibians. Houghton Mifflin Company , Boston. Pp 75.

**Stebbins, R.C.** 1985. A field guide to western reptiles and amphibians. Houghton Mifflin Co. Boston, Massachusetts. Pp. 33-37.

**Stebbins, R.C.** 1989. Declaration of R. C. Stebbins in support of petition of writ of mandate. Sierra Club and Richard Pontius v. Gilroy City Council, Shappell Industries et al. Santa Clara County Superior Court. March 16, 1989. 11 pp. plus exhibits.

**Steens en, R.A., J.E . Chilcott, L.F. Grober, L.D . Jensen, J.L. Eppinger, and T. Burns.** 1997. Compilation of electrical conductivity, boron, and selenium water quality data for the Grassland Watershed and San Joaquin River, May 1985-September 1995. Staff Report. California Regional Water Quality Control Board, Central Valley Region, Sacramento, CA. 59 p.

**Stenzel, L.E., S.C. Peaslee, and G.W. Page.** 1981. Mainland Coast. Pages 6-16 in Page, G.W. and L.E. Stenzel (eds.). The breeding status of the snowy plover in California. *Western Birds* 12(1):1-40.

**Stephan, C.E., D.I. Mount, D.J. Hansen, J.H. Gentile, G.A. Chapman, and W.A. Brungs.** 1984. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratories, Duluth, MN, Narragansett, RI, and Corvallis, OR.

**Stephen son, G.L., N.K. Kaushik, and K.R. Solomon.** 1991. Chronic Toxicity of a Pure and Technical Grade Pentachlorophenol to *Daphnia magna*. *Arch. Environ. Contam. Toxicol.*, 21:388-394.

**Stern, M.A., K.A. Kristensen, and J.F. Morawski.** 1988. Investigations of snowy plovers at Abert Lake, Lake Co., Oregon. Final Report for Oregon Department Fish and Wildlife Nongame Program. 12 pp.

**Stern, M.A., J.S. McIver, and G.A. Rosenberg.** 1990. Investigations of the western snowy plover at the Coos Bay North Spit and adjacent sites in Coos and Curry Counties, Oregon, 1990. Report to Oregon Department Fish and Wildlife Nongame Program. 33 pp.

**Stevens, D.E., S.W. Miller, and B.C. Bolster.** 1990. Report to the Fish and Game Commission: A status review of the delta smelt (*Hypomesus transpacificus*) in California. California Department of Fish and Game Candidate Species Status Rept. 90-2. 149 pages.

Stiles, F.G. and A.F. Skutch. 1989. *A guide to the birds of Costa Rica.* Comstock, Ithaca, New York. 364 pp.

Stine, P.A. 1982. Preliminary status report on the Lost River sucker. Report to panel members of the Endangered Species Office, USFWS. 23 pp.

Storer, T.I. 1925. A synopsis of the amphibia of California. University of California Publications in Zoology 27:60-71.

Storer, T.I. 1925. A synopsis of the amphibia of California. University of California Publications in Zoology 27:1-342.

Storer, T.I., R.L. Usinger, R.C. Stebbins, and J.W. Nybakken. 1972. General Zoology, 5th ed. McGraw-Hill Inc., New York. 899 p.

Studinski, G. 1994. Habitat requirement of the Modoc sucker, *Catostomus microps*. Devil's Garden Ranger District, Modoc National Forest. 4 pp.

Sugnet and Associates. 1993. Preliminary compilation of documented distribution, fairy shrimp and tadpole shrimp proposed for listing. Roseville, California.

Sundlof, S.F. M.G. Spalding, J.D. Wentworth, and C.K. Steible, 1994. Mercury in livers of wading birds (Ciconiiformes) in So. Florida. Arch Environ Contam Toxicol 27:299-305.

Suzuki, T. 1979. Dose-effect and dose-response relationships of mercury and its derivatives. pages 399-431 in J.O. Nriagu (ed.). *The biogeochemistry of mercury in the environment*. Elsevier/North-Holland Biomedical Press, New York.

Swanson, C. And J. J. Cech, Jr. 1995. Environmental tolerances and requirements of the delta smelt, *Hypomesus transpacificus*. Final Report. 77 pp.

Swanson, G.A., M.I. Meyer and J.R. Serie. 1974. Feeding ecology of breeding blue-winged teals. J. Wildl. Manag. 38:396-407.

Sweet, S.S. 1992. Initial Report on the Ecology and Status of the Arroyo Toad (*Bufo microscaphus californicus*) on the Los Padres National Forest of Southern California, with Management Recommendations for Los Padres National Forest. Contract report to Los Padres National Forest. 198 pp.

Sweet, S., P. Collins, and L. Hunt. 1998. California tiger salamander (*Ambystoma californiense*) in Santa Barbara County, California: known and possible breeding ponds. Report/Maps prepared for U.S. Fish and Wildlife Service. 9 pp.

Sweetnam, D.A. and D.E. Stevens. 1993. Report to the Fish and Game Commission: A status review of the delta smelt (*Hypomesus transpacificus*) in California. Candidate Species Status Report 93-DS. 98 pages plus appendices.

Swift, C.C. 1980. *Eucyclogobius newberryi*. Girard. In D.S. Lee et al. *Atlas of North American Freshwater Fishes*. North Carolina State Museum, Raleigh, North Carolina.

Swift, C.C., J.L. Nelson, C. Maslow, and T. Stein. 1989. Biology and distribution of tidewater goby, *Eucyclogobius newberryi* (Pisces: Gobiidae) of California. Natural History Museum of Los Angeles County, Contributing Science 404.

Swift, C.C., T.R. Haglund, M. Ruiz, and R.N. Fisher. 1993. The status and distribution of the freshwater fishes of southern California. *Bulletin of the Southern California Academy of Sciences*, 92:1-67.

SWRCB (State Water Resources Control Board). 1997. Draft policy for implementation of toxics standards for inland surface waters, enclosed bays, and estuaries of California and functional equivalent document. State Water Resources Control Board, September 11, 1997.

Talcott, P., and G. Moller. 1997. Acute selenium toxicosis in livestock from phosphate mining overburden leachate. Abstract No.008, p.2, in: SETAC 18th Annual Meeting Abstract Book. SETAC Press, Pensacola, FL.

Taylor, K., W. Pease, J. Lacy, and M. Carlin. 1992. Mass emissions reduction strategy for selenium. Staff Report. Basin Planning and Protection Unit. California Regional Water Quality Control Board - San Francisco Bay Region, Oakland, CA. 53 p.

Taylor, K., J. Lacy, and M. Carlin. 1993. Mass emissions reduction strategy for selenium. Supplemental Staff Report. Basin Planning and Protection Unit. California Regional Water Quality Control Board - San Francisco Bay Region, Oakland, CA. 61 p.

Tejning S., 1967. Biological effects of methyl mercury dicyandiamide-treated grain in the domestic fowl *Gallus gallus* L., *Oikos Suppl.* 8, 1.

Test, F.H., and A.R. Test. 1942. Food of the California clapper rail. *Condor* 44:228.

Thomanen, Robert V., F. Shkreli and S. Harrison. 1997. A pharmacokinetic model of cadmium in rainbow trout. *Environmental Toxicology and Chemistry* 16(11):2268-2274.

Thomas, J.W., E.D. Forsman, J.B. Lint, E.C. Meslow, B.R. Noon, and J. Verner. 1990. A conservation strategy for the northern spotted owl. Unpublished interagency document. 458 pp.

Thompson, K. 1972. Determining stream flows for fish life. In Proceedings, Instream Flow Requirement Workshop. Pacific Northwest River Basin Commission, Vancouver, WA. 31-50.

Thompson D.R., and Furness R.W.. 1989. Comparison of the levels of total and organic mercury in seabird feathers. *Mar Pollut Bull* 20:577-579.

Timmermans, Klaas, R. 1993. Accumulation and effects of trace metals in freshwater invertebrates. Pages 133-148 in Reinhard Dallinger and Philip S. Rainbow, editors. *Ecoxicology of metals in invertebrates*. Lewis Publishers, Boca Raton, Florida.

Titus, R.G., D.C. Erman and W.N. Snider. In press. History and Status of Steelhead in California Coastal Drainages South of San Francisco Bay. *Hilgardia*.

Todd, R.L. 1986. A Saltwater Marsh Hen in Arizona, a History of the Yuma Clapper Rail (*Rallus longirostris yumanensis*). A Federal Aid Project W-95-R, Completion Report.

Trenham, P. 1998a. Radiotracking info. Unpublished manuscript. 6 pp.

Trenham, P. 1998b. Demography, migration, and metapopulation structure of pond breeding salamanders. Ph.D. dissertation. University of California, Davis. 98 pp.

Triska, F.J., J.R. Sedell, and S.V. Gregory. 1982. Coniferous forest streams. Pages 292-332 in: R.L. Edmonds (ed.), *Analysis of Coniferous Forest Ecosystems in the Western United States*. Hutchins on Ross Publishing Co., Stroudsburg, PA.

Trotter, P.C. 1987. Cutthroat, native trout of the west. Colorado Associated University Press. Boulder, Colorado. 219 pp.

Tulare Lake Drainage District. 1996. Tulare Lake Drainage District 1995 Annual Report. Submission to the Regional Water Quality Control Board, Fresno, CA, regarding Waste Discharge Requirement (WDR) Order No. 93-135. Tulare Lake Drainage District, Corcoran, CA. 22 chapters, pages not numbered.

Tully, W.C., and K.W. Franke. 1935. A new toxicant occurring naturally in certain samples of plant foodstuffs. VI. A study of the effect of affected grains on growing chicks. *Poult. Sci.*, 14:280-284.

Turner, J.L. and D.W. Kelley. 1966. Ecological studies of the Sacramento-San Joaquin Delta. Calif. Dept. Fish and Game Bull. 136.

Twitty, V.C. 1941. Data on the life history of *Ambystoma tigrinum californiense* Gray. *Copeia* 1941(1):1-4.

Tyus, H.M. and C.A. Karp. 1989. Habitat use and streamflow needs of rare and endangered fishes, Yampa River, Colorado. U.S. Fish and Wildlife Service, Vernal, Utah. 27 pp.

Tyus, H.M. and C.A. Karp. 1990. Spawning and movements of razorback sucker, *Xyrauchen texanus*, in the Green River basin of Colorado and Utah. *The Southwestern Naturalist* 35:427-433.

U.C. Committee. 1988. The evaluation of water quality criteria for selenium, boron, and molybdenum in the San Joaquin River Basin. University of California Committee on San Joaquin River Water Quality Objectives. Report No. 4 In: Drainage, Salinity, and toxic Constituent Series. Sponsored by UC Salinity/Drainage Task Force, and UC Water Resources Center, Davis, CA.

USDA-FS (United States Department of Agriculture, Forest Service). 1989. Action plan for recovery of the Modoc sucker: A cooperative interagency recovery effort of the U.S. Forest Service, U.S. Fish and Wildlife Service, California Department of Fish and Game, revised edition. Modoc National Forest. 10 pp.

USDA-FS. 1993. Draft Rangeland Analysis Field Guide. 190+pp. Forest Service Handbook 2209.21.

USDA-FS. 1994. Biological assessment for Paiute cutthroat trout - CY 1994 - annual operating plan for the Silver King C&H allotment. May 1994. Ogden, Utah. 11 pp.

USDA-FS and USDI-BLM (United States Department of Agriculture, Forest Service and United States Department of Interior, Bureau of Land Management). 1994a. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl; standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Portland, Oregon: U.S. Dept. of Agriculture (Forest Service), Dept. of the Interior (Bureau of Land Management).

USDA-FS and USDI-BLM. 1994b. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Portland, OR: U.S. Dept. of Agriculture (Forest Service), U.S. Dept. of the Interior (Bureau of Land Management). 2 vols. and appendices.

USDA, USDI, NOAA, and USEPA (USDA Forest Service; USDI Fish and Wildlife Service, Bureau of Land Management, National Park Service; National Oceanic and Atmospheric Administration, National Marine Fisheries Service; US Environmental Protection Agency). 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the forest ecosystem management assessment team. Portland, Oregon.

**USDI (United States Department of the Interior). 1997. Final Environmental Assessment/Initial Study Proposed Finding of No Significant Impact/Negative Declaration for the Conveyance of refuge water supply project, west Sacramento Valley study area.**

**USDI (United States Department of Interior). 1998. Solving the amphibian mystery: USGS scientists probe causes of declines. In: People, Land & Water 5(9):10-12.**

**USDI (United States Department of Interior). 1999. Proposed threatened status for the Santa Ana sucker. Federal Register 64(16):3915-3923.**

**USDI-BOR (United States Department of the Interior, Bureau of Reclamation). 1993. Predicted selenium effect levels for Kendrick and Middle Green River remediation (Irrigation Drainage). Memo from Joy Gober, Soil Scientist, to Irrigation Program Manager, June, 1993. Bureau of Reclamation, Denver Office, Denver, CO. Typed, 4 p.**

**USDI-BOR/FWS/GS/BIA (United States Department of the Interior, Bureau of Reclamation/Fish and Wildlife Service/Geological Survey/Bureau of Indian Affairs). 1998. Guidelines for Interpretation of the Biological Effects of Selected Constituents in Biota, Water, and Sediment. National Irrigation Water Quality Program Information Report No. 3. Bureau of Reclamation, Denver, CO. 198 p.**

**USDI-FWS (United States Department of Interior - Fish and Wildlife Service). 1977. Santa Cruz long-toed salamander (*Ambystoma macrodactylum croceum*) recovery plan. U.S. Fish and Wildlife Service, Portland, OR. 49 pp.**

**USDI-FWS. 1980. California Least Tern Recovery Plan. U.S. Fish and Wildlife Service. Region 1, Portland, Oregon.**

**USDI-FWS. 1981. Southern sea otter recovery plan. U.S. Fish and Wildlife Service.**

**USDI-FWS. 1982a. Aleutian Canada goose recovery plan. U.S. Fish and Wildlife Service, Denver, CO.**

**USDI-FWS. 1982b. Recovery plan for peregrine falcon (Pacific population). Portland, Oregon. 87 pp.**

**USDI-FWS. 1983. The California Brown Pelican Recovery Plan. U.S. Fish and Wildlife Service, Region 1, Portland, Oregon, under contract with California Department of Fish and Game and University of California at Davis.**

**USDI-FWS. 1984a. Recovery plan for the Owens pupfish, *Cyprinodon radiosus*. U.S. Fish and Wildlife Service, Portland, Oregon. 47 pp.**

**USDI-FWS. 1984b. Salt marsh harvest mouse and California clapper rail recovery plan. Portland, Oregon. 141 pp.**

**USDI-FWS. 1985a. Light-Footed Clapper Rail Recovery Plan (Revised). U.S. Fish and Wildlife Service, Portland, Oregon.**

**USDI-FWS. 1985b. Paiute cutthroat trout, *Oncorhynchus clarki seleniris*, recovery plan. Portland, Oregon. 68 pp.**

**USDI-FWS. 1985c. Recovery Plan for the San Francisco garter snake (*Thamnophis sirtalis tetrataenia*). U.S. Fish and Wildlife Service, Portland, Oregon. 77 pp.**

**USDI-FWS. 1985d. Unarmored Threespine Stickleback Recovery Plan (Revised). U.S. Fish and Wildlife Service, Portland, Oregon.**

USDI-FWS. 1986a. Pacific bald eagle recovery plan. Portland, Oregon. 163 pp.

USDI-FWS. 1986b. Revised Santa Cruz long-toed salamander (*Ambystoma macrodactylum croceum*) recovery plan. U.S. Fish and Wildlife Service, Portland, OR. 64 pp.

USDI-FWS. 1986. Manual of Acute Toxicity: Interpretation and Data Base for 410 Chemicals and 66 Species of Freshwater Animals. United States Department of the Interior Fish and Wildlife Service Resource Publication 160. Washington D.C.

USDI-FWS. 1989. Baseline study of trace elements in the aquatic ecosystem of the James River Garrison Diversion Unit, 1986-1988. Technical Report. U.S. Fish and Wildlife Service, Bismarck, ND. 22 p. + appendices.

USDI-FWS. 1990. Bonytail chub Recovery Plan. Prepared by Colorado Fishes Recovery Team for the U.S. Fish and Wildlife Service, Region 6, Denver, Colorado. 35 pp.

USDI-FWS. 1991. Aleutian Canada Goose Recovery Plan. U.S. Fish and Wildlife Service, Anchorage, Alaska. 55 pp.

USDI-FWS. 1992. Wetland losses within northern California from projects authorized under Nationwide Permit No. 26. Sacramento Field Office. Sacramento, California.

USDI-FWS. 1993a. Colorado River Endangered Fishes Critical Habitat, Draft Biological Support Document. Salt Lake City, Utah. 225 pp.

USDI-FWS. 1993b. Desert Pupfish Recovery Plan. U.S. Fish & Wildlife Service, Phoenix, Arizona. 67 pp. plus appendices.

USDI-FWS. 1993c. Recovery Plan; Lost River sucker (*Deltistes luxatus*) and shortnose sucker (*Chasmistes brevirostris*). 108 p.

USDI-FWS. 1994a. Biological assessment - Modoc sucker and bald eagle: Timber salvage and livestock grazing within the Ash Creek watershed. Modoc National Forest, Big Valley Ranger District, May 19, 1994.

USDI-FWS. 1994b. Biological opinion on EPAs proposed action of approving and/or disapproving the Arizona Water Quality standards for Navigable waters located in Arizona, 2-21-92-F-550, Albuquerque, New Mexico, 76+ pages.

USDI-FWS. 1994c. Formal consultation on the 1994 operation of the Central Valley Project and State Water Project: Effects on delta smelt. 34 pages, plus figures.

USDI-FWS. 1995. Recovery plan for Lahontan cutthroat trout *Oncorhynchus darki henshawi* (Salmonidae). Portland, Oregon. 103 pp.

USDI-FWS. 1996a. Draft Owens Basin Wetland and Aquatic Species Recovery Plan, Inyo and Mono Counties, California. Portland, Oregon.

USDI-FWS. 1996b. Recovery plan for arid upland and riparian species of the San Joaquin Valley, California; Preliminary draft. USFWS, Sacramento Field Office, Sacramento, CA.

USDI-FWS. 1996c. Sacramento-San Joaquin Delta Native Fishes Recovery Plan. U.S. Fish and Wildlife Service, Portland, Oregon.

USDI-FWS. 1997a. Draft California Freshwater Shrimp Recovery Plan. Sacramento, California. 87 pp.

**USDI-FWS. 1997b. Recovery Plan for the Threatened Marbled Murrelet (*Brachyramphus marmoratus*) in Washington, Oregon, and California. Portland, Oregon.** 203 pp.

**USDI-FWS. 1997c. Saving the Salton Sea: A Research Needs Assessment. Final report from a works hop convened August 4-8, 1997, in Palm Springs, CA. U.S. Fish and Wildlife Service, Portland, OR.** 96 p.

**U.S. Dept. of Interior and California Resources Agency. 1990. A management plan for agricultural subsurface drainage and related problems on the Westside San Joaquin Valley. Final Report of the San Joaquin Valley Drainage Program. U.S. Bureau of Reclamation, Sacramento, CA.** 183 p.

**USDI-FWS and NFCRC (United States Department of Interior - Fish and Wildlife Service and National Fisheries Contaminant Research Center). 1990. U.S. Fish and Wildlife Service National Fisheries Contaminant Research Center. August 1990. Agricultural Irrigation Drainwater Studies in the Support of the San Joaquin Valley Drainage Program. Final Report, San Joaquin Valley Drainage Program, Sacramento, CA, 309 pp.**

**USEPA (United States Environmental Protection Agency) 1976. Quality Criteria for Water. EPA-440/9-76-023.** 500 pp.

**USEPA (United States Environmental Protection Agency). September 1980. Ambient Water Quality Criteria for Pentachlorophenol. Office of Water, Washington, D.C. EPA 440/50-81-065.**

**USEPA. 1980. Ambient water quality criteria for Silver. U.S. Environmental Protection Agency, Publication 440/5-80-071.** 211 pp.

**USEPA. 1985a. Ambient water quality criteria for Arsenic-1984. U.S. Environmental Protection Agency, Publication 440/5-84-033.** 66 pp.

**USEPA. 1985b. Ambient water quality criteria for Cadmium-1984. U.S. Environmental Protection Agency, Publication 440/5-84-032.** 127 pp.

**USEPA. 1985c. Ambient water quality criteria for Chromium-1984. U.S. Environmental Protection Agency, Publication 440/5-84-029.** 99 pp.

**USEPA. 1985d. Ambient water quality criteria for Copper-1984. U.S. Environmental Protection Agency, Publication 440/5-84-031.** 141 pp.

**USEPA. 1985e. Ambient water quality criteria for Lead-1984. U.S. Environmental Protection Agency, Publication 440/5-84-027.** 81 pp.

**USEPA. 1985f. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. Office of Research and Development.**

**USEPA. 1986a. Ambient water quality criteria for Nickel-1986. U.S. Environmental Protection Agency, Publication 440/5-86-004.** 93 pp.

**USEPA. 1986b. Ambient Water Quality Criteria for Pentachlorophenol - 1986. Office of Water, Washington, D.C.**

**USEPA. 1987a. Ambient water quality criteria for selenium--1987. Office of Water Regulation and Standards, United States Environmental Protection Agency, Washington, D.C.**

**USEPA. 1987b. Ambient water quality criteria for Zinc-1987. U.S. Environmental Protection Agency, Publication 440/5-87-003.** 207 pp.

USEPA. 1989. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms, 3rd edition. EPA, Report 600/4-91/002, Cincinnati, Ohio.

USEPA. 1990. Pesticide fact sheet: sodium fluoroacetate (1080).

USEPA. 1991. Methods for measuring the acute toxicity of effluents to freshwater and marine organisms, 4th edition. EPA, Report 600/4-90/027, Cincinnati, Ohio.

USEPA. 1992. Memorandum from Russell Erikson, EPA, Environmental Research Laboratory to Phil Woods, EPA, Region 9, dated August 8, 1992.

USEPA. 1993a. Office of Water Policy and Technical Guidance on Interpretation and Implementation of Aquatic Life Metals Criteria. Memorandum from Martha G. Prothro, Acting Assistant Administrator for Water to Water Management Directors Regions I-X.

USEPA. 1993b. Water quality guidance for the Great Lakes system and correction: Proposed rules. 'Fed Regist. 58(72):20802-21047 (April 16, 1993).

USEPA. 1994. Interim Guidance on Determination and Use of Water-Effect Ratios for Metals. EPA-823-B-94-001, Washington, D.C.

USEPA. 1995a. Final water quality guidance for the Great Lakes System. Final Rule. Fed. Reg 60:1536-15425.

USEPA. 1995b. Great Lakes Water Quality Initiative Criteria Documents for the Protection of Aquatic Life in Ambient Water. Office of Water, Washington, D.C. EPA-820-B-95-004.

U.S. Environmental Protection Agency. 1995c. Use of surrogate Species in Assessing Contaminant Risk to Endangered and Threatened Fishes. Final Report - September, 1995. EPA/600/R-96/029.

USEPA. 1996a. Mercury study report to congress. Science Advisory Board Review Draft. Volume VI: Characterization of human health and wildlife risks from anthropogenic mercury emissions in the United States. EPA-452/R-96-001a, June 1996.

USEPA. 1996b. The Metal Translator: Guidance For Calculating a Total Recoverable Permit Limit From a Dissolved Criterion, Appendix A: Deriving Permit Limits for Metals. Office of Water. EPA 823-B-96-007

USEPA. 1996c. 1995 Updates : Water Quality Criteria Documents for the Protection of Aquatic Life in Ambient Water. Office of Water, Washington, D.C. EPA 820-B-96-001.

USEPA. 1997a. Biological Evaluation of the California Toxics Rule. U.S. Environmental Protection Agency, Region IX, Consultation number 1-1-94-880. 37 pp.

USEPA. 1997b. Mercury Study Report to Congress, Volume VI [Final], An Ecological Assessment for Anthropogenic Mercury Emissions in the United States. December 1997. EPA-425/R-97-008.

USEPA. 1997c. Water Quality Standards ; Establishment of Numeric Criteria for Priority Toxic Pollutants for the State of California: Proposed Rule. Federal Register, Tuesday August 5, 1997. 62(150):42159-42208.

USEPA. 1997d. Economic Analysis of the Proposed California Water Quality Toxics Rule. USEPA, Office of Water, 4301, EPA 823-R-97-004, July 1997.

USEPA. 1998. Report on the Peer Consultation Workshop on selenium aquatic toxicity and bioaccumulation. EPA-822-R-98-007, September, 1998. Office of Water, U.S. Environmental Protection Agency, Washington, DC. 59 p.

USGS. 1996. Salton Sea Ecosystem Initiative: Salton Sea Workshop. Final report from a workshop convened October 22-23, 1996, at the National Wildlife Health Research Center, Madison, WI. Typed, 9 pp.

USGS. 1999. Raw data from Santa Ana sucker environmental variables study.

Van Derveer, W.D., and S.P. Canton. 1997. Selenium sediment toxicity thresholds and derivation of water quality criteria for freshwater biota of western streams. Environ. Toxicol. Chem., 16:1260-1268.

Vandal, G.M., Mason R.P., Fitzgerald W.F., 1991. Cycling of volatile mercury in temperate lakes. Water Air Soil Pollut. 56:791-803.

Vanicek, C.C. 1967. Ecological studies of native Green River fishes below Flaming Gorge Dam, 1964-1966. Ph.D. Dissertation. Utah State University, Logan. 124 pp.

Vanicek, C.C., and R.H. Kramer. 1969. Life history of the Colorado squawfish, *Ptychocheilus lucius* and the Colorado chub, *Gila robusta*, in the Green River in Dinosaur National Monument, 1964-1966. Transactions of the American Fisheries Society 98(2):193-208.

Van Leeuwen, C.J., P.S. Griffioen, W.H.A. Vergouw and J.L. Maas-Diepeveen. 1985. Difference in Susceptibility of Early Life Stages of Rainbow Trout (*Salmo Gairdneri*) to Environmental Pollutants. Aquatic Toxicology, 7:59-78.

Varoujean, D.H. 1972. A study of the California clapper rail in Elkhorn Slough, 1972. Report to the California Dept. of Fish and Game. 9 pp.

Varoujean, D.H., W.A. Williams, and D.R. Warrick. 1989. Nest locations and nesting habitat of the marbled murrelet in coastal Oregon. Unpubl. Rept., Nongame Wildlife Program, Oregon Dept. of Fish and Wildlife, Publication Number 88-6-02.

Verbost, P.M., Van Rooij, J., Flik, G., Lock R.A.C. and S.E. Wendelaar Bonga. 1989. Journal of Experimental Biology 145:185-197.

Verma, S.R., I.P. Tonk, and R.C. Dalela. 1981. Determination of the maximum acceptable toxicant concentration (MATC) and the safe concentration for certain aquatic pollutants. Acta Hydrochim. Hydrobiol. 9(3):247-254.

Vogel, D.A., and K.R. Marine. 1991. Guide to Upper Sacramento River chinook salmon life history. Prepared for the U.S. Bureau of Reclamation, Central Valley Project. 55 pp. with references.

Wagner, R.A. 1955. Basic survey of Lake Mohave. Completion Report, Project F-2-R-1. Wildlife Restoration Division, Arizona Game and Fish Department, Phoenix. 16 pp.

Wahle, R.J. and R.E. Pearson. 1987. A listing of Pacific Coast spawning streams and hatcheries producing chinook and coho salmon. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, F/NWC-122, 37 p. plus appendices.

Wake, D.B. 1998. Action on amphibians. TREE 13: 379-380.

Walsh P.M., 1990. The use of Seabirds as monitors of heavy metals in the marine environment. Ch. 10 in Heavy Metals in the Marine Environment, Furness R.W. and P.S. Rainbow Eds., CRC Press, Boca Raton, Fl.

Wang, J.C.S. 1982. Early life history and protection of the tidewater goby *Eucyclogobius newberryi* (Girard) in the Rodeo Lagoon of the Golden Gate National Recreation Area. Cooperative Park Service Unit Technical Report #7, University of California, Davis.

Wang, J.C.S. 1986. Fishes of the Sacramento-San Joaquin estuary and adjacent waters, California: A guide to the early life histories. Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary. Tech. Rept. 9.

Wang, J.C.S. 1991. Early life stages and early life history of the delta smelt, *Hypomesus transpacificus*, in the Sacramento-San Joaquin estuary, with comparison of early life stages of the longfin smelt, *Spirinchus thaleichthys*. Interagency Ecological Studies Program for the Sacramento-San Joaquin Estuary. Tech. Rept. 28.

Wang, C., R.T. Lovell, and P.H. Klesius. 1997. Response to *Edwardsiella ictaluri* challenge by channel catfish fed organic and inorganic sources of selenium. *J. Aquat. Anim. Health*, 9:172-179.

Waples, R.S. 1991. Genetic interactions between hatchery and wild salmonids: Lessons from the Pacific Northwest. *Can. J. Fish. Aquat. Sci.* 48(Suppl. 1):124-133.

Ware R.A., Burkholder, P.M., and Chang, L.W. (1975). Ultrastructural changes in renal proximal tubules after chronic organic and inorganic mercury intoxication. *Environ. Res.*, 10, 121-40.

Warriner, J.S., J.C. Warriner, G.W. Page, and L.E. Stenzel. 1986. Mating system and reproductive success of a small population of polygamous snowy plovers. *Wilson Bull.* 98(1):15-37.

Washington Dept. of Fish and Wildlife. 1995. Washington state recovery plan for the snowy plover. Olympia, WA. 87 p.

Watras C.J. and N.S. Bloom, 1992. Mercury and methylmercury in individual zooplankton: Implications for bioaccumulation Limnol. Oceanogr., 37(6),1313-1318.

Webb, P.W. and J.R. Brett. 1973. Effects of Sublethal Concentration of Sodium Pentachloropentenate on Growth Rate, Food Conversion Efficiency, and Swimming Performance in Underyearling Sockeye Salmon (*Oncorhynchus nerka*). *J. Fisheries Research Board of Canada*, 30(4): 499-507.

Weihs, D. 1974. Energetic advantages of burst swimming of fish. *J. Theor. Bio.* 48:215-229.  
Welsh, P.G., Skidmore, J.F., Spry, D.J., Dixon, D.G., Hodson, P.V., Hutchison, N.J. and B.E. Hickie. 1993. Effect of pH and dissolved organic carbon on the toxicity of copper to larval fathead minnow (*Pimephales promelas*) in natural lake waters of low alkalinity. *Canadian Journal of Fisheries and Aquatic Sciences* 50:1356-1362.

Welsh, P., J. Lipton, D. Cacela, T. Podrabsky, R. Hudson, J. Mastrine, Z.C. Huang, and G. Chapman. 1997. Calcium concentration vs. water hardness: modifiers of metal toxicity to aquatic organisms. Poster presented at the annual meeting of the Society of Environmental Toxicology and Chemistry (SETAC), San Francisco, CA.

Werner, E.E. 1986. Amphibian metamorphosis: Growth rate, predation risk, and the optimal size at transformation. *The American Midland Naturalist*, 128(3):319-341.

Westcot, D.W., C.A. Enos, J.E. Chilcott, and K.K. Belden. 1990. Water and Sediment Quality Survey of Selected Inland Saline Lakes. California Regional Water Quality Control Board, Central Valley Region, Sacramento, CA, 16 pp.

Westcot, D., and J. Gonzalez. 1988. Municipal and industrial discharge survey for selenium. California Regional Water Quality Control Board - Central Valley Region. Sacramento, CA. 13 p.

Westcot, D.W., B.J. Grewell, and J.E. Chilcott. 1991. Trace Element Concentrations in Selected Streams in California: A Synoptic Survey. California Regional Water Quality Control Board, Central Valley Region, Sacramento, CA, 51 pp.

Wheelock, I.G. 1912. Birds of California: an introduction to more than three hundred common birds of the state and adjacent lands. A.C. McClurg and Company, Chicago, Illinois.

Whiteley, P.L., and T.M. Yuill. 1989. Immune function and disease resistance of waterfowl using evaporation pond systems in the southern San Joaquin Valley, California, 1986-89. Final Report to the U.S. Fish and Wildlife Service, National Wildlife Health Research Center, Madison, WI. 202 p.

Widrig, R.S. 1980. Snowy plovers at Leadbetter Point. An opportunity for wildlife management? Prepared for the U.S. Fish and Wildlife Service, Willapa National Wildlife Refuge, Ilwaco, Washington. 14 pp.

Wiener J.G., 1995. Bioaccumulation of Mercury in Fish. National Forum on Mercury in Fish. USEPA, Office of Water. June 1995. EPA 823-R-95-002

Wiener J.G. and D.J. Spry, 1996. Toxicological Significance of Mercury in Freshwater Fish. Chapter published in Environmental Contaminants in Wildlife: Interpreting tissue Concentrations. Beyer and Heinz, eds. CRC press Lewis Pubs. Boca Raton FL USA 494 pp.

Wier, H. and E. Bauder. 1991. Vernal pool management plan, Naval Air Station Miramar. U.S. Navy, San Diego, California.

Wilber, C.G. 1980. Toxicology of selenium: a review. *Clin. Toxicol.*, 17:171-230.

Wilbur, H. M. 1976. Density-dependent aspects of metamorphosis in *Ambystoma* and *Rana sylvatica*. *Ecology*, 57(6):1289-1296.

Wilbur, H. M., and J. P. Collins. 1973. Ecological aspects of amphibian metamorphosis. *Science* (n.s.), 182(4119):1305-1314.

Willard, F.C. 1912. A week afield in southern Arizona. *The Condor*. 14:53-63.

Willett, G. 1933. Revised list of the birds of southwestern California. *Pacific Coast Avifauna* 21:1-204.

Williams, L. 1929. Notes on the feeding habits and behavior of the California clapper rail. *Condor* 31:52-56.

Williams, J.E., D.B. Bowman, J.E. Brooks, A.A. Echelle, R.J. Edwards, D.A. Hendrickson, and J.J. Landye. 1985. Endangered Aquatic Ecosystems in North American Deserts with a List of Vanishing Fishes of the Region. *Journal of the Arizona-Nevada Academy of Science* 20:1-62.

Wilson, R.A. 1980. Snowy plover nesting ecology on the Oregon coast. M.S. Thesis, Oregon State Univ., Corvallis, Oregon. 41 pp.

Wise, D. 1995. Winter kill in channel catfish. Mississippi State University Extension Service Newsletter For Fish Farmers. <http://ext.msstate.edu/newsletters/fishfarmers/fff95d2.html>

Wobeser, G., N.O., Nielsen, and B. Schiefer. 1976. Mercury and mink II. Experimental methyl mercury intoxication. *Can.J. Comp. Med.* 40:34-45.

Wolfe, M.F., S. Schwarzbach, and R.A. Sulaiman. 1998. Effects of Mercury on Wildlife: A Comprehensive Review. *Envir. Tox. and Chem.* 17(2):146-160.

Wong, D.M. 1975. Aspects of the life history of the Paiute cutthroat trout, *Salmo clarki seleniris*, Snyder, in North Fork Cottonwood Creek, Mono County, California, with notes on behavior in a stream aquarium. M.A. thesis, California State University, Long Beach. 178 pp.

Woodward, Daniel F., W.G. Brumbaugh, A.J. DeLonay, E.E. Little, and C.E. Smith. 1994. Effects on rainbow trout fry of a metals-contaminated diet of benthic invertebrates from the Clark River, Montana. *Transactions of the American Fisheries Society* 123:51-62.

Woodward, Daniel F., A.M. Farag, H.L. Bergman, A.J. DeLonay, E.E. Little, C.E. Smith, and F.T. Barrows. 1995. Metals-contaminated benthic invertebrates in the Clark River, Montana: effects on age-0 brown and rainbow trout. *Can.J. Fish. Aquat. Sci.* 52:1994-2004.

Worthy lake, K.M., and P. Hovingh. 1989. Mass mortality of salamanders (*Ambystoma tigrinum*) by bacteria (*Acinetobacter*) in an oligotrophic seepage mountain lake. *Great Basin Naturalist.* 49(3) 364-371.

Wren, C.D. 1986. A review of metal accumulation and toxicity in wild mammals. I. Mercury. *Environ. Res.* 40:1737-1744.

Wren, C.D., K.L. Fischer, and P.M. Stokes. 1988. Levels of lead, cadmium and other elements in mink and otter from Ontario, Canada. *Envir. Pollut.* 52:193-202

Wren, C.D., P.M. Stokes, and K.L. Fischer. 1986. Mercury levels in Ontario Canada mink and otter relative to food levels and environmental acidification. *Can.J. Zool.* 64:2854-2859.

Wren, Christopher D., S. Harris, and N. Harttrup. 1995. Ecotoxicology of Mercury and Cadmium. Chapter 17 in *Handbook of Ecotoxicology*, Hoffman, David J., B.A. Rattner, G.A. Burton Jr., and J. Cairns Jr., Editors. Lewis Publishers 1995. Pp. 392-423.

Wright, Patricia, T. Heming and D. Randall. 1986. Downstream pH changes in water flowing over the gills of rainbow trout. *Journal of Experimental Biology* 126:499-512.

Wright, A.H. and A.A. Wright. 1949. *Handbook of frogs and toads of the United States and Canada*. Comstock Publishing Company, Inc., Ithaca, NY. xii + 640 pp.

Wylie, G.D., M. Cassaza, and J.K. Daugherty. 1997. 1996 Progress report for the giant garter snake study. Preliminary report, USGS, Biological Resources Division.

Yang, M.G., K.S. Krawfore, J.D. Gareia, J.H.C. Wang, and K.Y. Lei. 1972. Deposition of mercury in fetal and maternal brain. *Proc. Soc. Exp. Biol. Med.* 141:1004-1007.

Zanella, Eugene F. 1982. Shifts in caddis fly species composition in Sacramento River invertebrate communities in the presence of heavy metal contamination. *Bull. Environmental Contamination and Toxicology* 29:306-312.

- Zedler, P.H. 1987. The ecology of southern California vernal pools: a community profile. Biological Report 85 7.11. U.S. Fish and Wildlife Service, Washington, D.C.
- Zedler, P.H. and C. Black. 1988. Species preservation in artificially constructed habitats: preliminary evaluation based on a case study of vernal pools at Del Mar Mesa, San Diego County. Pp. 367-373 in: J. A. Kuslen, S. Daly, and G. Brooks, eds. Urban Wetlands. Proceedings of the National Wetlands Symposium, June 26-29, 1988.
- Zedler, J.B., and J.C. Calloway. 1999. Tracking wetland restoration: do mitigation sites follow desired trajectories? *Restoration Ecology* 7(1):69-73.
- Zeiner, D.C., W.F. Laudenslayer Jr., K.E. Mayer, M. White, ed. 1990. California's wildlife; California statewide wildlife habitat relationships system, California Department of Fish and Game.
- Zeiner, D.C., W. Laudenslayer, and K. Mayer. 1988. Tiger salamander *Ambystoma tigrinum*. Pages 2-3, in: California's Wildlife, Volume 1: Amphibians and Reptiles. The Resources Agency, California Department of Fish and Game.
- Zembal, R. 1984. Santa Margarita River Project, San Diego County, California. Fish and Wildlife Coordination Act Report, United States Fish and Wildlife Service, Laguna Niguel, California. 91 pp. plus appendices (267 pp.)
- Zembal, R., K. Kramer, and R. Bransfield. 1985. Survey of Vegetation and Vertebrate Fauna in the Prado Basin and the Santa Ana River Canyon, California. Unpublished report, U.S. Fish and Wildlife Service, Laguna Niguel, California.
- Ziesmer, T.C. 1997. Vocal Behavior of Foothill and Mountain Yellow-legged frogs (*Rana boylii* and *R. muscosa*). Unpublished thesis, Sonoma State University, California.
- Zillioux E.J., D.B. Porcella and J.M. Benoit. 1993. Mercury cycling and effects in freshwater wetland ecosystems. *Envir. Tox and Chem* 12:2245-2264.
- Zweifel, R.G. 1955. The ecology and systematics of the *Rana boylei* species group. University of California Publications in Zoology. 54:207-292.

**PERSONAL COMMUNICATIONS:**

**Albertson, J., U.S. Fish and Wildlife Service, San Francisco Bay National Wildlife Refuge, P.O. Box 524, Newark, California 94560.**

**Bruce C., Oregon Department of Fish and Wildlife, Northwest Regional Office, 7118 NE Vandenberg Avenue, Corvallis, OR 97330.**

**Buettner, M., Fishery Biologist, Bureau of Reclamation, Klamath Falls, OR.**

**Cummins E., Washington Department of Fish and Wildlife, 600 Capitol Way North, Olympia, WA 98504.**

**Evens, J., Avocet Research Associates, P.O. Box 839, Point Reyes Station, California 94956.**

**Gress, Frank. Brown pelican researcher. Institute for Environmental Studies, Davis, California.**

**Holmgren, M. 1993. University of California, Santa Barbara, California.**

**Hunter, John. Six Rivers National Forest, Eureka, California.**

**King, J. 1995. Personal communication with Chris Nagano and Jim Browning, U.S. Fish and Wildlife Service.**

**Kuzmack, A.M. 1998. Senior Science Advisor, Office of Water, USEPA. At Coastal Advocates' Third Annual Mercury Discussion Group, Pacific Grove, CA. February 16-17 1998.**

**Larson, S. U.S. Fish and Wildlife Service, Endangered Species Division, Sacramento, CA.**

**Lester, G., 633 Third Street, Eureka, CA 95501.**

**Lukens, R. January 27, 1998. Water quality data summary for Trifolium Drain 12, 1996. Facsimile transmission from California Regional Water Quality Control Board, Colorado River Basin Region, Palm Desert, CA. 4 p.**

**McGriff, D., California Department of Fish and Game; personal communication in 1986.**

**Meng, L., U.S. Fish and Wildlife Service, Endangered Species Office, 2800 Cottage Way, Sacramento, California 95825.**

**Mesta, Robert. Ornithologist. U.S. Fish and Wildlife Service, Ventura Fish and Wildlife Office, California.**

**Moyle, P.B., University of California, Davis, Davis, California.**

**Nelson, Kim. Oregon Cooperative Wildlife Research Unit, Corvallis, Oregon.**

**Page, G., Point Reyes Bird Observatory, 4990 Shoreline Highway, Stinson Beach, CA 94970.**

**Roberts, C. January 15, 1998. Yuma clapper rail eggs. E-mail message from Carol Roberts, Southern California Field Office, U.S. Fish and Wildlife Service, Carlsbad, CA. 1 p.**

**Skorupa, J. 1998. U.S. Fish and Wildlife Service, Environmental Contaminants Division, Sacramento, CA.**

**Slotton, D. 1998. University of California, Davis. At Coastal Advocates' Third Annual Mercury Discussion Group, Pacific Grove, CA. February 16-17 1998.**

Ms. Felicia Marcus

**Stephen son, M. 1998. California Department of Fish and Game. At Coastal Advocates' Third An nual Mercury Discussion Group, Pacific Grove, CA. February 16-17 1998.**

**Sweetnam, D., California Department of Fish and Game, Bay-Delta and Special Water Projects Division, 4001 N. Wilson Way, Stockton, CA 95205-2424.**

**Takekawa, J., U.S. Fish and Wildlife Service, San Francisco Bay National Wildlife Refuge, P.O. Box 524, Newark, California 94560.**

**Whyte, D. 1998. San Francisco Bay Area Regional Water Quality Control Board. At Coastal Advocates' Third Annual Mercury Discussion Group, Pacific Grove, CA. February 16-17 1998.**

**Willy, A. U.S. Fish and Wildlife Service, Endangered Species Division, Sacramento, CA.**